ON K3 SURFACES WITH HYPERBOLIC AUTOMORPHISM GROUPS

KOJI FUJIWARA, KEIJI OGUISO, XUN YU

ABSTRACT. We show the finiteness of the Néron-Severi lattices of complex projective K3 surfaces whose automorphism groups are non-elementary hyperbolic with explicit descriptions, under the assumption that the Picard number ≥ 6 which is optimal to ensure the finiteness. Our proof of finiteness is based on the study of genus one fibrations on K3 surfaces and recent work of Kikuta and Takatsu.

1. INTRODUCTION

Since the global Torelli theorem for K3 surfaces by Piatetskii-Shapiro and Shafarevich [PS71], the automorphism groups of K3 surfaces have caught much attention from several aspects by several mathematicians. In this paper, inspired by a pioneering work by Kikuta [Ki24], and independently by Takatsu [Ta24], we address a new study of the automorphism group of a K3 surface from hyperbolicity in geometric group theory, with an unexpected relation with genus one fibrations on a K3 surface and the entropy (Theorems 1.3, 1.4, 1.8).

Unless stated otherwise, by a *K3 surface*, we mean a smooth projective complex surface with no global 1-form, i.e., $H^0(S, \Omega_S^1) = 0$, and with a nowhere vanishing global holomorphic 2-form ω_S, which is necessarily unique up to $\mathbb{C}^\times$. Let

$$\mathrm{NS}\,(S) := \mathrm{Im}\,(c_1 : \mathrm{Pic}\,(S) \to H^2(S, \mathbb{Z})) \simeq \mathrm{Pic}\,(S).$$

Then $\mathrm{NS}\,(S)$ is a free $\mathbb{Z}$-module of finite rank with the intersection form $(*, **)_S$, or equivalently, the integral symmetric bilinear form induced from the cup product of $H^2(S, \mathbb{Z})$. We call $\mathrm{NS}\,(S) := (\mathrm{NS}\,(S), (*, **)_S)$ the *Néron-Severi lattice* of S and $\rho\,(S) := \mathrm{rank}(\mathrm{NS}\,(S))$ the *Picard number* of S. Then $1 \leq \rho\,(S) \leq 20$ and $\mathrm{NS}\,(S)$ is an even hyperbolic lattice. Here and hereafter we mean, by a *lattice*, a pair $L = (L, (*, **))$ of free $\mathbb{Z}$-module L of finite rank with a symmetric bilinear form $(*, **) : L \times L \to \mathbb{Z}$. A lattice $L = (L, (*, **))$ of rank r is called *even* (resp. *hyperbolic*) if $(v^2) \in 2\mathbb{Z}$ for all $v \in L$ (resp. $r \geq 2$ and $(*, **)$ is of signature $(1, r-1)$). We define an isomorphism of lattices and a sublattice of a lattice in natural manners. We denote the automorphism group of a lattice L by $\mathrm{O}\,(L)$.

Let $\mathrm{Aut}\,(S)$ be the group of biregular automorphisms of a K3 surface S. We note that $\mathrm{Aut}\,(S)$ is always discrete, as $T_S \simeq \Omega_S^1$ by ω_S and thus $H^0(S, T_S) \simeq H^0(S, \Omega_S^1) = 0$. More strongly, $\mathrm{Aut}\,(S)$ is a finitely generated group by a result of Sterk ([St85, Proposition 2.2]). We define

$$\mathrm{Aut}\,(S)^* := \mathrm{Im}\,(\mathrm{Aut}\,(S) \to \mathrm{O}\,(\mathrm{NS}\,(S)))\ ;\ f \mapsto f^*.$$

Gromov introduced the notion of hyperbolicity for a geodesic metric space in his seminal paper, [Gr87]. We call a group G with a finite set of generators S *hyperbolic* if the Cayley graph of (G, S), which is considered as a metric space by the graph metric, is a hyperbolic space in the sense of Gromov. The hyperbolicity of G does not depend on the choice of S. We call a hyperbolic group *non-elementary* if G is not virtually cyclic, i.e, there is no cyclic subgroup G', with $[G : G'] < \infty$. A virtually cyclic group is hyperbolic, and it is called *elementary*. Standard examples of hyperbolic groups include free groups of finite rank, the fundamental groups of closed Riemannian manifolds of negative sectional curvature, such as closed hyperbolic manifolds and closed orientable surfaces of genus at least two. Additionally, not all but some of Coxeter groups and Artin groups are hyperbolic.

Hyperbolic groups have been a central object in geometric group theory, as they provide a unified framework for studying a broad class of finitely generated groups. We recall some basic properties of hyperbolic groups. A hyperbolic group does not contain a subgroup isomorphic to $\mathbb{Z}^2$. More generally, any finitely generated solvable subgroup in a hyperbolic group is virtually cyclic. A hyperbolic group is always finitely presented. For finitely presented groups, one can define an isoperimetric inequality, and a hyperbolic group satisfies a linear isoperimetric inequality. This is one of the characterizations of hyperbolic groups.

Max Dehn formulated three central problems in combinatorial group theory in 1911: word problem, conjugacy problem, isomorphism problem. They are all solvable for hyperbolic groups in general. A hyperbolic group satisfies Tits alternative, i.e., for any finitely generated subgroup H in a hyperbolic group, either H is virtually cyclic, or H contains the free group of rank two, i.e., $\mathbb{Z} * \mathbb{Z}$. This implies that a non-elementary hyperbolic group has exponential growth. A hyperbolic group has finite virtual cohomological dimension if it is virtually torsion free. It is unknown if all hyperbolic groups are virtually torsion free. It is also unknown if all hyperbolic groups are residually finite. A hyperbolic group G has only finitely many finite subgroups upto conjugation in G.

Another characterization of a hyperbolic group is that a group is hyperbolic if it admits a properly discontinuous, co-compact isometric action of a hyperbolic space in the sense of Gromov. Along this line, the hyperbolicity of a group has been generalized to relatively hyperbolic groups. This notion plays an important role in this paper. Many properties of hyperbolic groups have been extended to relatively hyperbolic groups with appropriate modifications. Isometric actions by groups on hyperbolic spaces have been used to study groups. A notable example is the theory by Masur-Minsky, [MM99], for the actions of the mapping class group of a compact surface on its curve graph, which is hyperbolic in the sense of Gromov. This approach gives a new proof of the solution of conjugacy problem of a mapping class group, [MM99], and the finiteness of the asymptotic dimension of a mapping class group, [BBF02].

The aim of this paper is to study K3 surfaces S with non-elementary hyperbolic $\mathrm{Aut}\,(S)$ in terms of their Néron-Severi lattices $\mathrm{NS}\,(S)$ and to classify them under the assumption that the Picard number $\rho(S) \geq 6$ (Theorem 1.4 (3), Theorem 1.8; see also Theorem 1.2 (1) for a justification). Here we note that the isomorphism classes of $\mathrm{NS}\,(S)$ of K3 surfaces S with non-elementary hyperbolic $\mathrm{Aut}\,(S)$ are no longer finite when $\rho(S) \leq 5$ (Remark 1.5).

Besides an important observation by Kikuta and Takatsu ([Ki24], [Ta24]), our proof is based on the study of genus one fibrations and their Mordell-Weil groups as well as their

Jacobian fibrations (Theorems 1.4, 1.7). We briefly recall here some notions needed to state the results (see [CD89] for details). Let W be a smooth projective complex surface. A surjective morphism $\varphi : W \to C$ onto a smooth projective curve C with connected fibers is called a *genus one fibration* if it is relatively minimal and a general fiber of φ is a smooth genus one curve, i.e. an elliptic curve without specifying the origin. Any genus one fibration $\varphi : W \to C$ is then the minimal compactification of some torsor of the smooth locus of j_φ of the unique genus one fibration $j_\varphi : W_\varphi \to C$ with global section, called the *Jacobian fibration* of φ. If $\varphi : W \to C$ has already a global section, then $W_\varphi = W$ and $j_\varphi = \varphi$ and by abuse of language, we also call a genus one fibration with global section a Jacobian fibration. When $W = S$ is a K3 surface, we know that $C = \mathbb{P}^1$ and S_φ is again a K3 surface, which is not isomorphic to S in general ([CD89, Theorem 5.3.1 and Proposition 5.3.6]). We also note that a K3 surface S has a genus one fibration (resp. a Jacobian fibration) if and only if $\mathrm{NS}\,(S)$ represents 0 (resp. $\mathrm{NS}\,(S)$ contains U which is the even unimodular hyperbolic lattice of rank 2); see Proposition 2.4 ([Ni81, Section 10, 2°]).

Let $\varphi : S \to \mathbb{P}^1$ be a genus one fibration on a K3 surface S. Let $f \in \mathrm{Aut}\,(S)$. We call f a translation automorphism of φ if f acts on each smooth fiber S_t ($t \in \mathbb{P}^1$) of φ as a translation of S_t. Translation automorphisms of φ form a finitely generated abelian group of rank $\leq \rho(S) - 2$, called the *Mordell-Weil group* of φ. We denote by $\mathrm{MW}(\varphi)$ the Mordell-Weil group of φ and by $mr(\varphi)$ the rank of $\mathrm{MW}(\varphi)$. One of the particular feature of a K3 surface S is that S often has several different genus one fibrations and Jacobian fibrations especially when $\rho(S)$ is larger. The following two invariants are crucial in our study:

$$mr(S) := \mathrm{Max}\,\{mr(\varphi)\,|\,\varphi : S \to \mathbb{P}^1 \text{ is a genus one fibration on } S\},$$
$$jmr(S) := \mathrm{Max}\,\{mr(\varphi)\,|\,\varphi : S \to \mathbb{P}^1 \text{ is a Jacobian fibration on } S\}.$$

We do not define $mr(S)$ (resp. $jmr(S)$) when S has no genus one fibration (resp. no Jacobian fibration).

Our starting points are the following two observations:

Theorem 1.1. *Let S be a K3 surface. Then, the following four statements (1) -(4) are equivalent:*
  (1) $\mathrm{Aut}\,(S)$ *is non-elementary hyperbolic;*
  (2) $\mathbb{Z} * \mathbb{Z} \subset \mathrm{Aut}\,(S)$ *and* $\mathbb{Z}^2 \not\subset \mathrm{Aut}\,(S)$*;*
  (3) $\mathrm{Aut}\,(S)^*$ *is non-elementary hyperbolic;*
  (4) $\mathbb{Z} * \mathbb{Z} \subset \mathrm{Aut}\,(S)^*$ *and* $\mathbb{Z}^2 \not\subset \mathrm{Aut}\,(S)^*$*.*
Moreover, in this case, $\rho\,(S) \geq 3$.

Theorem 1.2. *Let S_i ($i = 1, 2$) be K3 surfaces such that $\mathrm{NS}\,(S_1) \simeq \mathrm{NS}\,(S_2)$. Then:*
  (1) $\mathrm{Aut}\,(S_1)$ *is non-elementary hyperbolic if and only if so is* $\mathrm{Aut}\,(S_2)$*.*
  (2) S_1 *has a genus one fibration if and only if so does S_2 and in this case $mr(S_1) = mr(S_2)$.*
  (3) S_1 *has a Jacobian fibration if and only if so does S_2 and in this case $jmr(S_1) = jmr(S_2)$.*

Theorem 1.1 is a direct consequence of an important result of Kikuta and Takatsu ([Ki24, Theorem A (1)], [Ta24, Theorem 5.13]), which claims the geometrically finiteness of $\mathrm{Aut}\,(S)$ of any K3 surface S, combined with general results on hyperbolic groups and the Torelli

theorem for K3 surfaces [PS71]. Theorem 1.2 is then a formal but important consequence, which confirms that the non-elementary hyperbolicity of $\mathrm{Aut}\,(S)$ of a K3 surface depends only on the isomorphism class of the lattice $\mathrm{NS}\,(S)$. We prove Theorems 1.1, 1.2 in Section 3, after a brief review of basic notions on K3 surfaces and lattices in Section 2 and a brief introduction of hyperbolic groups in Section 3.

We then give a more algebro-geometric characterization:

Theorem 1.3. *Let S be a K3 surface with $\rho\,(S) \geq 5$. Then $\mathrm{Aut}\,(S)$ is non-elementary hyperbolic if and only if $mr(S) \leq 1$ and $\mathrm{Aut}\,(S)$ is of positive entropy, in the sense that there is $f \in \mathrm{Aut}\,(S)$ such that $d_1(f) > 1$, where $d_1(f)$ is the spectral radius of $f^*|_{\mathrm{NS}\,(S)}$.*

Here by the assumption $\rho\,(S) \geq 5$, S has at least one genus one fibration (Proposition 2.4). We will also use the assumption $\rho\,(S) \geq 5$, instead of $\rho\,(S) \geq 3$ in Theorem 1.1, to ensure the equivalence between the fact that the entropy of $\mathrm{Aut}\,(S)$ is positive and the fact that $\mathrm{Aut}\,(S)$ is not virtually abelian (see [Yu25] and proof of Theorem 1.3). The property of positive entropy of $\mathrm{Aut}\,(S)$ is crucial to connect our study with a fundamental work due to the third author [Yu25], and independently Brandhorst-Mezzedimi [BM22], on the complete classification of Néron-Severi lattices of K3 surfaces with zero entropy automorphism group $\mathrm{Aut}\,(S)$, to make a complete list in Section 7, see also Theorem 1.8. We prove Theorem 1.3 in Section 3 by using a result of the second author [Og07].

By Theorem 1.2, we may speak of the following sets:

$$\mathcal{H}_{\{0\}} := \{\mathrm{NS}\,(S)\,|\,S \in \mathcal{S}_{\{0\}} \text{ s.t. } mr(S) \leq 1\}/\text{isomorphisms};$$
$$\mathcal{H}_{\{0\}}^{\geq r} := \{\mathrm{NS}\,(S)\,|\,S \in \mathcal{S}_{\{0\}} \text{ s.t. } \rho\,(S) \geq r\,,\ mr(S) \leq 1\}/\text{isomorphisms};$$
$$\mathcal{H}_{U} := \{\mathrm{NS}\,(S)\,|\,S \in \mathcal{S}_{U} \text{ s.t. } mr(S) \leq 1\}/\text{isomorphisms};$$
$$\mathcal{H}_{U}^{\geq r} := \{\mathrm{NS}\,(S)\,|\,S \in \mathcal{S}_{U} \text{ s.t. } \rho\,(S) \geq r\,,\ mr(S) \leq 1\}/\text{isomorphisms};$$
$$\mathcal{H}_{\mathrm{hyp}}^{\geq r} := \{\mathrm{NS}\,(S)\,|\,S \in \mathcal{S} \text{ s.t. } \rho\,(S) \geq r\,,\ \mathrm{Aut}\,(S) \text{ is non-elementary hyperbolic}\}/\text{isomorphisms},$$

where $\mathcal{S}$ is the set of isomorphism classes of K3 surfaces and $\mathcal{S}_{\{0\}}$ (resp. $\mathcal{S}_{U}$) is the set of isomorphism classes of K3 surfaces with at least one genus one fibration (resp. at least one Jacobian fibration). Note that $S \in \mathcal{S}_{\{0\}}$ (resp. $S \in \mathcal{S}_{U}$) if and only if $\mathrm{NS}\,(S)$ represents 0 (resp. $U \subset \mathrm{NS}\,(S)$) (Proposition 2.4).

Our first main result is the following:

Theorem 1.4. *Let S be a K3 surface. Then*
  (1) *$\mathcal{H}_{U}^{\geq 6}$ is a finite set.*
  (2) *$\mathcal{H}_{0}^{\geq 6}$ is a finite set.*
  (3) *$\mathcal{H}_{\mathrm{hyp}}^{\geq 6}$ is a finite set, that is, the isomorphism classes of the Néron-Severi lattices $\mathrm{NS}\,(S)$ of K3 surfaces S of $\rho(S) \geq 6$ with non-elementary hyperbolic $\mathrm{Aut}\,(S)$ are finite.*

Remark 1.5.   (1) Our result is a kind of generalization of Nikulin [Ni81] from $mr = 0$ to $mr \leq 1$.
  (2) By Nikulin [Ni81, Theorem 0.2.6] with [Yu25, Theorem 1.3 and Appendix A], [BM22, Corollary 1.5] and [Ro22, Section 16], we see that $\mathcal{H}_{\mathrm{hyp}}^{\geq 5}$ is an *infinite* set. In particular, our restriction $r \geq 6$ is optimal to make $\mathcal{H}_{\mathrm{hyp}}^{\geq r}$ *finite*.

(3) By [Ni81, Theorems 0.2.4, 0.2.5, 0.2.7], if a K3 surface S satisfies both $\rho(S) \geq 6$ and $mr(S) = 0$, then $\mathrm{Aut}(S)$ is finite. Thus, we have $mr(S) = 1$ for K3 surfaces S with $\mathrm{NS}(S) \in \mathcal{H}_{\mathrm{hyp}}^{\geq 6}$.

(4) Mukai proposed the conjecture that for any K3 surface $S \in \mathcal{S}_{\{0\}}$, the virtual cohomological dimension $\mathrm{vcd}(\mathrm{Aut}(S))$ of $\mathrm{Aut}(S)$ is equal to $mr(S)$ (see e.g. [Ta24, Conjecture 1]). However, this conjecture seems to need some modification suggested by the examples in [Ni81, Theorem 0.2.6]; for example, if $\mathrm{NS}(S) \cong \langle 2^5 \rangle \oplus D_4$, then $mr(S) = 0$ and $|\mathrm{Aut(S)}| = \infty$, thus $\mathrm{vcd}(\mathrm{Aut}(S)) \geq 1$.

Remark 1.6. (1) For any non-projective K3 surface X, $\mathrm{Aut}(X)$ is virtually abelian ([Og08, Theorem 1.5]) so that $\mathrm{Aut}(X)$ is not non-elementary hyperbolic.

(2) For any projective K3 surface S with $\rho(S) \leq 2$, $\mathrm{Aut}\,(S)$ is virtually cyclic (see e.g., Theorem 2.3) so that $\mathrm{Aut}(S)$ is not non-elementary hyperbolic either.

In the course of proof of Theorem 1.4, we also need the following theorem, which has its own interest (see also Corollary 5.3):

Theorem 1.7. *Let S be a K3 surface such that $U \subset \mathrm{NS}\,(S)$, i.e., a K3 surface with at least one Jacobian fibration. Then $mr(S) = jmr(S)$.*

We prove Theorem 1.7 in Section 4 and Theorem 1.4 in Section 5. Our proof of Theorem 1.7 uses an important result of Keum [Ke00, Lemma 2.1] (see also Theorem 5.2). We prove Theorem 1.4 by dividing into two cases: (1) L is of the form $U \oplus M$ and (2) $L \neq U \oplus M$. We reduce case (2) to case (1). In both cases, we use Theorem 1.7 and some useful method (Lemma 6.1) in the lattice theory developed by the third author [Yu25, Theorem 4.1].

In Section 7, we give a complete explicit list of $\mathcal{H}_{\mathrm{hyp}}^{\geq 6}$.

Theorem 1.8. *The set $\mathcal{H}_{\mathrm{hyp}}^{\geq 6}$ consists of exactly the 166 lattices listed in Table 1. Moreover, among these 166 lattices, exactly 145 lattices contain U.*

Roughly speaking, we first find finitely many explicit candidates L and then check whether $L \in \mathcal{H}_{\mathrm{hyp}}^{\geq 6}$ one by one. Slightly more precisely, as in the proof of Theorem 1.4, we divide into two cases (1) and (2) as above. We make our proof of Theorem 1.4 much more explicit with help of computer algebra.

Question 1.9. (1) Are there any intrinsic reasons why $\mathcal{H}_{\mathrm{hyp}}^{\geq 6}$ is finite but $\mathcal{H}_{\mathrm{hyp}}^{\geq 5}$ is infinite?

(2) Determine K3 surfaces S with $\mathrm{NS}(S) \in \mathcal{H}_{\mathrm{hyp}}^{\geq 6}$ such that $\mathrm{Aut}(S)$ is virtually free. For instance, $\mathrm{Aut}(S)$ is virtually free of rank 11 and 4 if $\mathrm{NS}(S)$ is No. 144 and 145 in Table 1 respectively ([Vi83, Theorems 3.3 and 2.4]) (Note that No. 144 and 145 are exactly the lattices of rank 20 in Table 1).

(3) Find explicit descriptions for $\mathrm{Aut}(S)$ (up to finite groups) for K3 surfaces S with $\mathrm{NS}(S) \in \mathcal{H}_{\mathrm{hyp}}^{\geq 6}$, especially for non-virtually free ones.

2. Some basic properties of lattices and K3 surfaces

We recall a few very basic notions and facts on lattices, K3 surfaces and genus one fibrations on K3 surfaces, which we will frequently use in this paper. For more advanced or specific properties, we will introduce them when we will really need them.

We use U to denote the lattice with Gram matrix $\begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}$. U is the unique even unimodular hyperbolic lattice of rank 2 up to isomorphisms. For an even negative definite lattice M, we denote by M_{rt} *the root sublattice* of M, i.e., M_{rt} is generated by the *roots* in M which are elements x in M with $(x^2) = -2$. By A_i $(i \geq 1)$, D_j $(j \geq 4)$, E_k $(k = 6, 7, 8)$ we mean the negative definite root lattice whose basis is given by the corresponding Dynkin diagram. If L is a sublattice of a lattice L' of the same rank, then we say L' is an *overlattice* of L. Note that the index $[L' : L]$ is equal to the order of the finite abelian group L'/L. We also note that $[L' : L]^2 = |\det L|/|\det L'|$ by the elementary divisor theorem.

Let L be a nondegenerate even lattice. We denote the determinant of the Gram matrix $((e_i, e_j))$ of L by $\det L$. Here $\{e_i\}$ is a $\mathbb{Z}$-basis of L and $\det L$ does not depend on the choice of $\mathbb{Z}$-basis of L. We may view the dual $L^* = \mathrm{Hom}(L, \mathbb{Z})$ of L as a subset of $L \otimes \mathbb{Q}$ via the canonical embedding $L \hookrightarrow L^*$ determined by the bilinear form of L. We use $l(L)$ to denote the minimum number of generators of the finite abelian group L^*/L. We call an element $0 \neq v \in L$ *isotropic* (resp. *primitive*) if $(v^2) = 0$ (resp. if the quotient $\mathbb{Z}$-module $L/\mathbb{Z}v$ is free).

Definition 2.1. Let L be an even hyperbolic lattice. We say L is *isotropic* if L has a nonzero element x with $(x^2) = 0$ (i.e., x is an isotropic element in L). For a primitive isotropic element $x \in L$, $\langle x \rangle^\perp / \langle x \rangle = (\mathbb{Z}x)_L^\perp / \mathbb{Z}x$ is a negative definite lattice. For an isotropic even hyperbolic lattice L and a primitive isotropic element $x \in L$, we define

$$mr(L, x) := \mathrm{rank}(\langle x \rangle^\perp / \langle x \rangle) - \mathrm{rank}((\langle x \rangle^\perp / \langle x \rangle)_{rt});$$

$$mr(L) = \max\{mr(L, x) \mid x \text{ is a primitive isotropic element in } L\}.$$

Remark 2.2. (1) If L' is an even overlattice of L, we have $mr(L) \geq mr(L')$. The reason is as follows. Let $e' \in L'$ be a primitive isotropic element of L' such that $mr(L') = mr(L', e')$. There is then a primitive isotropic element $e \in L$ such that $e = ae'$ for some positive integer a. Then we have a natural inclusion

$$(\mathbb{Z}e)_L^\perp / \mathbb{Z}e \subset (\mathbb{Z}e')_{L'}^\perp / \mathbb{Z}e'.$$

Thus

$$((\mathbb{Z}e)_L^\perp / \mathbb{Z}e)_{rt} \subset ((\mathbb{Z}e')_{L'}^\perp / \mathbb{Z}e')_{rt}.$$

Hence $mr(L) \geq mr(L, e) \geq mr(L', e')$ by the formula in Definition 2.1.
(2) Let M be an even negative definite lattice. By definition, we have

$$mr(L \oplus M) \geq mr(L).$$

By [Ni81, Theorem 10.2.1], $mr(U \oplus M) = 0$ if and only if the quotient group $\mathrm{O}(U \oplus M)/W(U \oplus M)$ is finite. Here $W(U \oplus M)$ is the Weyl group of $U \oplus M$ generated by the (-2)-reflections as below. Note that we have $mr(S) = mr(\mathrm{NS}(S))$ (Theorem 2.5).

We call a group G *virtually* $\mathcal{V}$ if G has a finite index subgroup which has the property $\mathcal{V}$. For example, we call G virtually abelian if G has a finite index abelian subgroup.

Let S be a K3 surface, which is always assumed to be complex projective. Let $r \in \mathrm{NS}(S)$ be a root. Then $x \mapsto x + (x, r)r$ defines an orthogonal involution of $\mathrm{NS}(S)$, called a (-2)-reflection. The Weyl group $W(\mathrm{NS}(S))$ of $\mathrm{NS}(S)$ is the subgroup of $\mathrm{O}(\mathrm{NS}(S))$ generated by the (-2)-reflections. The Weyl group is a normal subgroup of $\mathrm{O}(\mathrm{NS}(S))$. Then, by the Torelli theorem for K3 surfaces [PS71, Section 7, Theorem 1], we have

Theorem 2.3. *The group homomorphism* $\mathrm{Aut}(S) \to \mathrm{O}(\mathrm{NS}(S))/W(\mathrm{NS}(S))$, *induced by* $\mathrm{Aut}(S) \to \mathrm{O}(\mathrm{NS}(S))$, *has a finite kernel and a finite cokernel. Moreover,* $\mathrm{Aut}(S)$ *is virtually cyclic, i.e., virtually abelian of rank* ≤ 1 *if* $\rho(S) \leq 2$.

Proof. As this is well-known, we just sketch a proof. That the cokernel is finite is a part of the global Torelli theorem for a K3 surface. That the kernel is finite follows from Fujiki-Lieberman's result [Fu78, Theorem 4.8] together with the fact that $H^0(S, T_S) = 0$. Recall that $\mathrm{Aut}(S)$ preserves the nef cone and its' boundary. Note that the boundary consists of two half lines when $\rho(S) = 2$. From this, as well-known, it readily follows that $\mathrm{Aut}(S)^*$ is finite if $\rho(S) = 1$ and $\mathrm{Aut}(S)^*$ is a virtually cyclic if $\rho(S) = 2$ (see e.g. [Ni81, Corollary 10.1.3], [GLP10, Corollary 1]). $\square$

The following two standard properties will be also frequently used:

Proposition 2.4. *Let S be a K3 surface. Then:*

    (1) *On a K3 surface S there exists a genus one fibration if and only if $\mathrm{NS}(S)$ is isotropic. In particular, S has a genus one fibration if $\rho(S) \geq 5$.*

    (2) *On a K3 surface S there exists a Jacobian fibration if and only if $U \subset \mathrm{NS}(S)$.*

Proof. For (1), see [PS71, Section 3, Corollary 3] and [Ser12, Chapter IV, Section 3.1, Corollary 2]. For (2), see [Ni81, Section 10, Theorem 10.2.1]. $\square$

Theorem 2.5. *Let S be a K3 surface with a genus one fibration $\varphi : S \to \mathbb{P}^1$. Let $f \in \mathrm{NS}(S)$ be the class of general fibers of φ. Then $f \neq 0$ is primitive, isotropic and satisfies*

$$mr(\varphi) = mr(\mathrm{NS}(S), f).$$

Proof. The first assertion is clear and the second assertion follows from the Riemann-Roch formula for a K3 surface, which implies that $\dim |nv| = n$ for any nef primitive isotropic element v and any positive integer n. The last formula is a direct consequence of the Shioda-Tate formula for genus one fibration (see e.g. [CD89, Chapter V, Corollary 5.2.1]):

$$mr(\varphi) = \rho(S) - 2 - \sum_{b \in B} (m(b) - 1), \tag{2.1}$$

where $B \subset \mathbb{P}^1$ is the set of critical values of φ and $m(b)$ is the number of irreducible components of S_b $(b \in B)$. Indeed, we obtain a $\mathbb{Z}$-basis of $((\mathbb{Z}f)^{\perp}_{\mathrm{NS}(S)}/\mathbb{Z}f)_{rt}$ by choosing suitable $m(b) - 1$ irreducible components from each fiber S_b $(b \in B)$, by Kodaira's classification of singular fibers of genus one fibration (see e.g. [CD89, Chapter III, Section 1]). $\square$

3. Hyperbolic groups and Proofs of Theorems 1.1, 1.2

3.1. **Hyperbolic groups.** We recall basic definitions concerning hyperbolic groups. A standard reference is [BH99, Chapter III. H].

The *Cayley graph*, $Cay(G, S)$, of a finitely generated group G with respect to a finite generating set S is the metric graph whose vertices are in $1 - 1$ correspondence with the elements in G, and which has an edge of length one joining g to gs for each $g \in G$ and $s \in S$.

Let $(X_1, d_1), (X_2, d_2)$ be metric spaces. A map $f : X_1 \to X_2$ is called a *quasi-isometric embedding* if there exist constants $\lambda \geq 1$ and $\epsilon \geq 0$ such that for all $x, y \in X_1$,

$$\frac{d_1(x, y)}{\lambda} - \epsilon \leq d_2(f(x), f(y)) \leq \lambda d_1(x, y) + \epsilon.$$

If in addition, there exists a constant $C \geq 0$ such that every point X_2 lies in the C-neighborhood of the image of f, then f is called a *quasi-isometry*. When such a map exists, X_1 and X_2 are said to be *quasi-isometric*.

Let G be a finitely generated group, and S_1, S_2 two finite generating sets. Then the Cayley graphs $Cay(G, S_1)$ and $Cay(G, S_2)$, with respect to S_1, S_2, respectively, are quasi-isometric. Consequently, the notion of quasi-isometry between finitely generated groups is well-defined, without reference to particular generating sets.

Let $\delta \geq 0$. A geodesic triangle in a metric space is said to be δ-*thin* if each of its side is contained in the δ-neighborhood of the union of the other two sides. A geodesic space X is said to be δ-hyperbolic if every triangle in X is δ-thin. If X is δ-hyperbolic for some δ, one says that X is hyperbolic (in the sense of Gromov).

Being hyperbolic is an invariant of quasi-isometry among geodesic spaces. Hence the following definition does not depend on the choice of generators (although the value of δ does).

Definition 3.1. A finitely generated group is *hyperbolic* (in the sense of Gromov) if its Cayley graph is a δ-hyperbolic metric space for some $\delta \geq 0$.

A virtually cyclic group is hyperbolic, and it is called a *elementary* hyperbolic group.

Suppose G_2 is a subgroup of finite index in G_1. G_2 is finitely generated if and only if G_1 is finitely generated. Moreover, in this case they are quasi-isometric. Similarly, suppose that there exists a surjective homomorphism $G_1 \to G_2$ with a finite kernel. Then G_1 is finitely generated if and only if G_2 is finitely generated, and in this case, they are quasi-isometric. Hence, in both situations, G_1 is hyperbolic if and only if G_2 is hyperbolic.

3.2. **Relatively hyperbolic groups.** Gromov introduced a useful generalization of hyperbolic groups, called relatively hyperbolic groups, motivated by non-uniform lattices in rank-one symmetric spaces, [Gr87, Section 8]. There exist several characterizations and equivalent definitions of relatively hyperbolic groups, for example [Bo12, Definition 1] and [DS05, Definition 8.4]. We state the following one, [Hr10, Definition 3.3], which is most directly related to geometrically finite Kleinian groups.

Definition 3.2. Suppose G acts properly discontinuously on a proper δ-hyperbolic space X, and $\mathcal{G}$ is a set of representatives of the conjugacy classes of maximal parabolic subgroups. Here proper means that all closed balls are compact. Suppose also that there is a G-equivariant collection of disjoint horoballs centered at the parabolic points of G, with

union U open in X, such that the quotient of $X - U$ by the action of G is compact. Then G is *(relatively) hyperbolic relative to* $\mathcal{G}$.

See [Hr10, Sections 2 and 3] for the precise definitions of parabolic subgroups, parabolic points and horoballs. These notions are natural generalizations of parabolic subgroups and horoballs in $\mathbb{H}^n$ to the setting of δ-hyperbolic spaces. If the set $\mathcal{G}$ is empty, then G is hyperbolic since it acts on X properly discontinuously and co-compactly. A relatively hyperbolic groups is called elementary when it is virtually cyclic.

We quote one result concerning relatively hyperbolic groups, which we use in this paper.

Theorem 3.3. *(*[DS05, Corollary 1.14]*) Let G be a hyperbolic group relative to $\mathcal{G} = \{G_1, \ldots, G_m\}$. Suppose each G_i is hyperbolic relative to a collection $\{G_i^1, \ldots, G_i^{n_i}\}$. Then G is hyperbolic relative to the collection of all G_i^j.*

In particular, let $\mathcal{G}' \subset \mathcal{G}$ be the subset of $\mathcal{G}$ obtained by getting rid of all virtually cyclic groups in $\mathcal{G}$. Then G is hyperbolic relative to $\mathcal{G}'$. As a special case, if $\mathcal{G}$ consists of virtually cyclic groups, then G is a hyperbolic group.

We explain the "in particular" part. For each $G_i \in \mathcal{G}$ we define the associated collection to consist solely of G_i itself if G_i is not virtually cyclic, and to be empty if G_i is virtually cyclic. This choice satisfies the assumption of the theorem and gives the family $\mathcal{G}'$. In the special case, $\mathcal{G}'$ is empty, so that G is hyperbolic.

3.3. **Kleinian groups.** We recall some definitions about Kleinian group, cf. [Ka09]. Let $\mathbb{H}^n$ be the real hyperbolic space of dimension n. Let $\mathrm{Isom}(\mathbb{H}^n)$ denote the group of isometries of $\mathbb{H}^n$. A discrete subgroup G of $\mathrm{Isom}(\mathbb{H}^n)$ is called a *Kleinian group*.

The (ideal) boundary of $\mathbb{H}^n$ is homeomorphic to the sphere $\mathbb{S}^{n-1}$. The *limit set* $\Lambda(G) \subset \mathbb{S}^{n-1}$ of G is the set of accumulation points of some (any) orbit $G(z)$ with $z \in \mathbb{H}^n$. A Kleinian group is called *elementary* if its limit set is a finite set. A Kleinian group is elementary if and only if it is virtually abelian.

Let $C(\Lambda(G))$ be the convex hull of $\Lambda(G)$, which is the smallest convex subset H of $\mathbb{H}^n$ such that $\bar{H} \cap \mathbb{S}^{n-1} = \Lambda(G)$, where $\bar{H}$ is the closure of H in $\mathbb{H}^n \cup \mathbb{S}^{n-1}$. If $\Lambda(G)$ is a single point, we define its convex hull to be empty.

For $\epsilon > 0$, let $C_\epsilon(\Lambda(G))$ be the open ϵ-neighborhood of $C(\Lambda(G))$ in $\mathbb{H}^n$. A finitely generated Kleinian group G is *geometrically finite* if there exists an $\epsilon > 0$ such that the hyperbolic volume of $C_\epsilon(\Lambda(G))/G$ is finite.

The G-conjugacy classes $[P]$ of maximal parabolic subgroups P of a Kleinian group G are called *cusp* subgroups of G. The cusp subgroups are parabolic subgroups in the isometry group of $\mathbb{H}^n$, hence virtually abelian of finite ranks.

The following theorem due to Kikuta and Takatsu is crucial in our study:

Theorem 3.4. *(*[Ki24, Theorem A (1) and Corollary B]*, *[Ta24, Theorem 5.13]*) Let S be a K3 surface. Then $\mathrm{Aut}\,(S)$ is a geometrically finite Kleinian group. In particular, $\mathrm{Aut}\,(S)$ is either virtually abelian or non-elementary relatively hyperbolic relative to virtually abelian subgroups of fintie rank.*

The "in particular" part is stated in [Ki24, Corollary B], where the collection of subgroups is not explicitly stated, but for a geometrically finite Kleinian group, each of them fixes a point in the boundary of the hyperbolic space, so that is is virtually abelian of finite rank.

Combining Theorems 3.3 and 3.4, we immediately have:

Corollary 3.5. *Let S be a K3 surface. Then $\mathrm{Aut}\,(S)$ is either virtually abelian or relatively hyperbolic relative to a collection of virtually abelian subgroups in finite rank at least two. Possibly, the collection is empty, in which case $\mathrm{Aut}\,(S)$ is hyperbolic.*

Another way to obtain this conclusion from [Ki24, Theorem A(1)] is to use [HK05, Theorem 1.2.1], where it is shown that a geometrically finite Kleinian group is a relatively hyperbolic group with respect to a collection of virtually abelian subgroups of rank at least two, using the idea of "CAT(0) spaces with isolated flats". Their argument also relies on [Bo93] and [DS05].

3.4. **Proof of Theorems 1.1 and 1.2.** Now we are ready to prove Theorems 1.1 and 1.2.

Proof of Theorem 1.1. Recall that $\mathrm{Ker}\,(\mathrm{Aut}\,(S) \to \mathrm{Aut}\,(S)^*)$ is a finite group by Theorem 2.3. Then $\mathrm{Aut}\,(S)$ is non-elementary hyperbolic, if and only if so is $\mathrm{Aut}\,(S)^*$. This shows $(1) \Leftrightarrow (3)$.

Let us show that $(1) \Rightarrow (2)$. Let $G := \mathrm{Aut}\,(S)$. Since G is non-elementary, G is not a virtually abelian group of finite rank by the definition. By the Tits' alternative for G, which follows from the Tits' alternative for $G^* = \mathrm{Aut}\,(S)^*$ by [Og06, Theorem 1.1], we have $\mathbb{Z} * \mathbb{Z} \subset G^*$ and thus $\mathbb{Z} * \mathbb{Z} \subset G$ as well.

Let us show that $(2) \Rightarrow (1)$. Let $G := \mathrm{Aut}\,(S)$. Since $\mathbb{Z} * \mathbb{Z} \subset G$, it follows that G is not virtually abelian. Since $\mathbb{Z}^2 \not\subset G$, it follows that virtually abelian subgroups of G are only virtually cyclic subgroups. Since G is relatively hyperbolic with respect to virtually abelian subgroups of finite rank, by Corollary 3.5, G is relatively hyperbolic with respect to an empty set. Thus G is a non-elementary, hyperbolic group. This proves $(2) \Rightarrow (1)$.

One can apply exactly the same argument in $(1) \Leftrightarrow (2)$ for $G := \mathrm{Aut}\,(S)^*$, to obtain $(3) \Leftrightarrow (4)$.

This completes the proof of Theorem 1.1.

Proof of Theorem 1.2. If $\mathrm{NS}\,(S_1) \simeq \mathrm{NS}\,(S_2)$, then both $\mathrm{Aut}\,(S_1)^*$ and $\mathrm{Aut}\,(S_2)^*$ are isomorphic to $\mathrm{O}\,(\mathrm{NS}\,(S_1))/W(\mathrm{NS}\,(S_1))$ up to finite kernel and finite cokernel by Theorem 2.3. Hence $\mathrm{Aut}\,(S_1)^*$ is non-elementary hyperbolic if and only if so is $\mathrm{Aut}\,(S_2)^*$. This implies the assertion of Theorem 1.2 (1).

By Proposition 2.4 and Theorem 2.5, both $mr(S)$ and $jmr(S)$ depend only on the isomorphism classes of the lattice $\mathrm{NS}\,(S)$. This implies the assertions (2) and (3).

This completes the proof of Theorem 1.2.

4. Proof of Theorem 1.3.

In this section, we prove Theorem 1.3 in an elementary algebrao-geometric way without using hyperbolic geometry. We first show the following:

Proposition 4.1. *Let X be a K3 surface and r be a positive integer such that $r \geq 2$. Assume that $\mathrm{Aut}\,(X)$ has a subgroup $G \simeq \mathbb{Z}^r$. Then there is a genus one fibration $\varphi : X \to \mathbb{P}^1$ and a finite index subgroup $G_0 \subset G$ such that $G_0 \subset MW(\varphi)$ (hence $G_0 \simeq \mathbb{Z}^r$ as well). In particular, $mr(X) \geq 2$.*

Proof. Set $L := \mathrm{NS}\,(X)$ and $\overline{A}(L) \subset L_{\mathbb{R}}$ be the nef cone, i.e., the closure of the ample cone $A(L) \subset L_{\mathbb{R}}$. Note that $\overline{A}(L)$ is a strict convex closed cone with open interior $A(L)$ and $\overline{A}(L)$ is preserved by $\mathrm{Aut}\,(X)$. First we show the following:

Lemma 4.2. *Let $g \in G$. Then $d_1(g) = 1$.*

Proof. Assuming to the contrary that there is $g \in G$ with $d_1(g) > 1$, we shall derive a contradiction. By [Mc02, Theorem 3.2], $d_1(g)$ is a Salem number and by the Perron-Frobenius type theorem [Bi67], there is unique $0 \neq v \in \overline{A}(L)$ up to $\mathbb{R}_{>0}$ such that $g(v) = d_1(g)v$. We have $(v^2) = 0$ as

$$(v^2) = (g(v)^2) = d_1(g)^2(v^2)$$

and $d_1(g) > 1$. Note that $d_1(g^{-1}) = d_1(g)$ as the minimal polynomial $\Phi_g(t) \in \mathbb{Z}[t]$ of a Salem number is reciprocal. Then there is unique $0 \neq v \in \overline{A}(L)$ up to $\mathbb{R}_{>0}$ such that $g^{-1}(u) = d_1(g)u$, i.e., $g(u) = d_1(g)^{-1}u$. We have $(u^2) = 0$ and u and v are linearly independent over $\mathbb{R}$ as $d_1(g) \neq d_1(g)^{-1}$ if $d_1(g) > 1$. Then $(u, v) > 0$ as $L_{\mathbb{R}}$ is of signature $(1, \rho(S) - 1)$.

We choose $g \in G$ such that $d_1(g) > 1$ is the minimum among all $d_1(g) > 1$ with $g \in G$. Since the degree of $\Phi_g(t) \in \mathbb{Z}[t]$ is bounded by $\rho(S)$, the minimum exists ([Mc02, Pages 229-230]). Let $h \in G$. Then, since $g \circ h = h \circ g$ it follows that

$$g(h(v)) = d_1(g)h(v) \ , \ g(h(u)) = d_1(g)^{-1}h(u)$$

and $h(v), h(u) \in \overline{A}(L)$. Thus by the uniqueness of u and v up to $\mathbb{R}_{>0}$, it follows that there are positive real numbers $a(h)$ and $b(h)$ such that

$$h(v) = a(h)v \ , \ h(u) = b(h)u.$$

By $(v, u) = (h(v), h(u)) = a(h)b(h)(v, u)$ and by $(v, u) > 0$, it follows that $a(h)b(h) = 1$. We have then a group homomorphism

$$c : G \to \mathbb{R}_{>0} \times \mathbb{R}_{>0} \ ; \ h \mapsto (a(h), b(h) = a(h)^{-1}).$$

This c is injective. Indeed, if $a(h) = b(h) = 1$, then as $\mathbb{R}\langle v, u\rangle^{\perp}$ is of negative definite and h-stable, it follows that h is of finite order. Then $h = \mathrm{id}_X$, as G has no torsion except id_X.

Since $d_1(g) > 1$ is the minimum, there is a unique integer $n(h)$ such that $d_1(h) = d_1(g)^{n(h)}$. Since c is injective, it follows that $h = g^{n(h)}$, a contradiction to the assumption that $G \simeq \mathbb{Z}^2$ with $r \geq 2$. This completes the proof of Lemma 4.2. $\qquad\square$

Lemma 4.3. *There is $0 \neq e \in \overline{A}(L) \cap L$ such that e is primitive, isotropic and satisfies $g(e) = e$ for all $g \in G$.*

Proof. Our argument closely follows an argument in [OZ22, Lemma 7.6]. By Lemma 4.2, $d_1(g) = 1$ for all $g \in G$. Choose $\mathrm{id}_X \neq h \in G$. Then h is of infinite order. Since the characteristic polynomial of h is the product of cyclotomic polynomials by $d_1(h) = 1$ ([Mc02, Theorem 3.2]), there is a positive integer m such that h^m is unipotent and preserves L. Replacing h by h^m, we may and will assume that h is unipotent. Note that h remains to be of infinite order. Thus $h - \mathrm{id}_X$ is non-zero and nilpotent also on L, that is, there is an endomorphism $0 \neq N : L \to L$ such that

$$h = \mathrm{id} + N \ , \ N^s \neq 0 \ , \ N^{s+1} = 0$$

for some integer s with $1 \leq s \leq l$. Then

$$h^n = \mathrm{id} + C_1(n)N + \ldots + C_s(n)N^s$$

where $C_k(n)$ is a binomial coefficient, which is a polynomial of n of degree k with rational coefficients. Since $A(L)$ is open in $L_{\mathbb{R}}$ and $L \cap A(L)$ generates $L_{\mathbb{R}}$ as an $\mathbb{R}$-vector space, there is $w \in A(L) \cap L$ such that $N^s(w) \neq 0$ as $N^s \neq 0$. Then

$$\lim_{n \to \infty} \frac{h^n(w)}{n^s} = \lim_{n \to \infty} \frac{C_s(n)}{n^s} N^s(w) = \frac{N^s(w)}{s!}$$

Thus $e := N^s(w)$ satisfies, after a suitable positive multiple, $e \in \overline{A}(L) \cap L$, $e \neq 0$ is primitive, $h(e) = e$ and

$$(e^2) = \lim_{n \to \infty} \left(\left(\frac{h^n(w)}{n^s} \right)^2 \right) = \lim_{n \to \infty} \frac{(w^2)}{n^{2s}} = 0,$$

as claimed.

By [Og07, Theorem 2.1] and by the fact that $e \in L$ is primitive and $d_1(g) = 1$ for all $g \in G$, it follows that e is unique and satisfies $g(e) = e$ for all $g \in G$. This completes the proof of Lemma 4.3.   □

The class e in Lemma 4.3 gives a genus one fibration $\varphi : X \to \mathbb{P}^1$ preserved by $G \simeq \mathbb{Z}^2$. Since φ has at least three singular fibers by [VZ01, Theorem 0.1], $\mathrm{Im}(\iota : G \to \mathrm{Aut}(\mathbb{P}^1))$ is finite. Thus $G_1 := \mathrm{Ker}(\iota)$ is a finite index subgroup of G. Since any non-translation automorphism of an elliptic curve is of finite order ≤ 6, it follows that there is a finite index subgroup of $G_0 \subset G_1$ such that $G_0 \subset MW(\varphi)$. This completes the proof of Proposition 4.1.   □

We are now ready to prove Theorem 1.3.

Proof of Theorem 1.3. Assume first that $\mathrm{Aut}(S)$ is non-elementary and hyperbolic. Then $\mathrm{Aut}(S)$ is an infinite group and it is not virtually abelian, as $\mathrm{Aut}(S)$ is non-elementary. Thus by the contra-position of [Og07, Theorem 1.4], we deduce that $\mathrm{Aut}(S)$ is of positive entropy. Since $\mathrm{Aut}(S)$ is hyperbolic, we have $\mathbb{Z}^2 \not\subset \mathrm{Aut}(S)$ by Theorem 1.1. Thus $mr(S) \leq 1$ when S has a genus one fibration. Note that we do not need the assumption $\rho(S) \geq 5$ in this direction.

Let us show the converse. Since $\mathrm{Aut}(S)$ is of positive entropy, $\mathrm{Aut}(S)$ is an infinite group. For a K3 surface X with $\rho(X) \geq 5$, the following three statements are equivalent by [Ni81, Theorem 9.1.1] and [Og07, Theorem 1.4] as it is pointed out by [Yu25, Introduction]:

  (1) $\mathrm{Aut}(X)$ is not of positive entropy, i.e. $d_1(f) = 1$ for all $f \in \mathrm{Aut}(X)$;
  (2) $\mathrm{Aut}(X)$ preserves a unique genus one fibration on X;
  (3) $\mathrm{Aut}(X)$ is virtually abelian (which is equivalent to that $\mathrm{Aut}(X)$ is almost abelian in [Og07, Theorem 1.4], see e.g. [DLOZ22, Theorem 2.2 (2)] and its proof).

Hence $\mathrm{Aut}(S)$ is not virtually abelian and thus $\mathbb{Z} * \mathbb{Z} \subset \mathrm{Aut}(S)$ by the Tits' alternative for a K3 surface [Og06, Theorem 1.1]. In addition, by our assumption $mr(S) \leq 1$ and by Proposition 4.1, it follows that $\mathbb{Z}^2 \not\subset \mathrm{Aut}(S)$. Hence $\mathrm{Aut}(S)$ is non-elementary hyperbolic by Theorem 1.1.

This completes the proof of Theorem 1.3.

5. PROOF OF THEOREM 1.7.

In this section, we prove Theorem 1.7. Let $L := (L, (**)_L)$ be an even nondegenerate lattice. The *discriminant group* (A_L, q_L) of L is the pair of finite abelian group $A_L := L^*/L$ and the quadratic form $q_{A_L} : A_L \to \mathbb{Q}/2\mathbb{Z}$ defined by $q_{A_L}(x \bmod L) = (x^2) \bmod 2\mathbb{Z}$. A

(necessarily even nondegenerate) lattice $L' := (L', (*, **)_{L'})$ is called *of the same genus* as L if L' satisfies one of the following two equivalent conditions ([Ni80, Corollary 1.9.4]):

(1) $(L', (*, **)_{L'}) \otimes_{\mathbb{Z}} \mathbb{Z}_p \simeq (L, (*, **)_L) \otimes_{\mathbb{Z}} \mathbb{Z}_p$ for all prime number p and $(L', (*, **)_{L'}) \otimes_{\mathbb{Z}} \mathbb{R} \simeq (L, (*, **)_L) \otimes_{\mathbb{Z}} \mathbb{R}$ over the real number field $\mathbb{R}$. Here $\mathbb{Z}_p$ is the ring of p-adic integers.

(2) $(A_{L'}, q_{L'}) \simeq (A_L, q_L)$ and $(*, **)_{L'}$ has the same signature as $(*, **)_L$.

By $\mathcal{G}(L)$, we denote the set of isomorphism classes of lattices of the same genus as L. We first prove the following purely algebraic:

Proposition 5.1. *Let L be an even nondegenerate lattice and $L \subset \overline{L}$ be an even overlattice of L. Let $\overline{L'} \in \mathcal{G}(\overline{L})$. Then there is a sublattice $L' \subset \overline{L'}$ such that $L' \in \mathcal{G}(L)$, and $\overline{L'}$ is thus an overlattice of L'.*

Proof. Set $n := |\overline{L}/L| = [\overline{L} : L]$. Consider the sublattice of $\overline{L}$ defined by

$$n\overline{L} := \{nx \mid x \in \overline{L}\} \subset \overline{L}.$$

Then L satisfies $n\overline{L} \subset L \subset \overline{L}$. By the first equivalent definition of the same genus, we have $\overline{L'} \in \mathcal{G}(\overline{L}) \Leftrightarrow n\overline{L'} \in \mathcal{G}(n\overline{L})$. Thus, by the second equivalent definition, there is an isomorphism of discriminant groups

$$\phi : (A_{n\overline{L}}, q_{n\overline{L}}) \simeq (A_{n\overline{L'}}, q_{n\overline{L'}}).$$

Since $\overline{L}/n\overline{L} = \{x \in A_{n\overline{L}} \mid nx = 0\}$ and $\overline{L'}/n\overline{L'} = \{x \in A_{n\overline{L'}} \mid nx = 0\}$, it follows that ϕ, we have $\overline{L}/n\overline{L} \simeq \overline{L'}/n\overline{L'}$ under ϕ preserving the induced quadratic forms. Since L is an even overlattice of $n\overline{L}$, we have $q_{n\overline{L}}|_{L/n\overline{L}} = 0$ ([Ni80, Proposition 1.4.1]). Hence $q_{n\overline{L'}}|_{\phi(L/n\overline{L})} = 0$. There is then the lattice L' such that $n\overline{L'} \subset L' \subset \overline{L}'$, corresponding to $\phi(L/n\overline{L}) \subset A_{n\overline{L'}}$ ([Ni80, Proposition 1.4.1]). We have then $L' \in \mathcal{G}(L)$. This is because the quadratic forms $q_{A_{L'}}$ and q_{A_L} are the ones naturally induced from $q_{n\overline{L'}}$ and $q_{n\overline{L}}$ via $q_{n\overline{L'}}|_{\phi(L/n\overline{L})} = 0$ and $q_{n\overline{L}}|_{L/n\overline{L}} = 0$. This completes the proof of Proposition 5.1. $\square$

We recall the following very important result due to Keum [Ke00, Lemma 2.1] based on an idea of Fourier-Mukai transform by Mukai [Mu87, Theorem 1.5]:

Theorem 5.2. *Let X be a K3 surface, $\varphi : X \to \mathbb{P}^1$ be a genus one fibration with fiber class $f \in \mathrm{NS}(X)$ and $j_\varphi : X_\varphi \to \mathbb{P}^1$ the associated Jacobian fibration. Let l be the positive integer such that $(l) = \{(f, x) \mid x \in \mathrm{NS}(X)\}$ as ideals of $\mathbb{Z}$. Let $v \in \mathrm{NS}(X)$ such that $(f, v) = l$. Then $f/l \in \mathrm{NS}(X)^*$ and*

$$\mathrm{NS}(X_\varphi) \simeq \mathbb{Z}(f/l) + \mathrm{NS}(X) \subset \mathrm{NS}(X)^*,$$

as lattices.

It is well known that X_φ is again a K3 surface [CD89, Theorem 5.3.1 and Proposition 5.3.6]. Under this isomorphism, we may and will identify $\mathrm{NS}(X_\varphi) \simeq \mathbb{Z}(f/l) + \mathrm{NS}(X)$ and write

$$\iota : \mathrm{NS}(X) \hookrightarrow \mathrm{NS}(X_\varphi) = \mathbb{Z}(f/l) + \mathrm{NS}(X) \subset \mathrm{NS}(X)^*. \tag{5.1}$$

Then we have $U \simeq \mathbb{Z}\langle f/l, v \rangle \subset \mathrm{NS}(X_\varphi)$ and the orthogonal direct sum decomposition

$$\mathrm{NS}(X_\varphi) = \mathbb{Z}\langle f/l, v \rangle \oplus (\mathbb{Z}\langle f/l, v \rangle)^{\perp}_{\mathrm{NS}(X_\varphi)}.$$

We need the following direct consequence.

Corollary 5.3. *Let X be a K3 surface and $\varphi : X \to \mathbb{P}^1$ be a genus one fibration with fiber class $f \in \mathrm{NS}(X)$ and $j_\varphi : X_\varphi \to \mathbb{P}^1$ the associated Jacobian fibration. Then $mr(X) \geq mr(X_\varphi)$.*

Proof. Since $\mathrm{NS}(X_\varphi)$ is an even over lattice of $\mathrm{NS}(X)$, the corollary follows from Remark 2.2 (1). $\square$

We are now ready to prove Theorem 1.7.

Proof of Theorem 1.7. It suffices to show that $jmr(S) \geq mr(S)$. Set $X := S$ and let $\varphi : X \to \mathbb{P}^1$ be a genus one fibration with fiber class $f \in \mathrm{NS}(X)$ and $j_\varphi : X_\varphi \to \mathbb{P}^1$ be the associated Jacobian fibration. We use the same notation as in Theorem 5.2 and after that. We set $\overline{M'} := (\mathbb{Z}\langle f/l, v\rangle)^\perp_{\mathrm{NS}(X_\varphi)}$. Then $\mathrm{NS}(X_\varphi) = U \oplus \overline{M'}$.

By the assumption, we have also an orthogonal decomposition $\mathrm{NS}(X) = U \oplus M$. Set $\overline{M} := \iota(U)^\perp_{\mathrm{NS}(X_\varphi)}$ under the inclusion ι in (5.1). We have $\iota(M) \subset \overline{M}$ and $\overline{M'} \in \mathcal{G}(\overline{M})$ by $U \oplus \overline{M'} = U \oplus \overline{M}$ ([Ni80, Theorem 1.3.1 and Corollary 1.9.4]). By Proposition 5.1, there is then a sublattice $M' \subset \overline{M'}$ such that $M' \in \mathcal{G}(M) = \mathcal{G}(\iota(M))$. Then $\mathrm{NS}(X) = U \oplus M \simeq U \oplus M'$ ([Ni80, Theorem 1.3.1 and Corollary 1.9.4]), and therefore, we have a Jacobian fibration $\varphi' : X \to \mathbb{P}^1$ such that $M' \simeq \mathbb{Z}\langle f', s'\rangle^\perp_{\mathrm{NS}(X)}$, where f' is the fiber class of φ' and s' is a global section of φ'. Since $M' \subset \overline{M'}$, it follows that $M'_{rt} \subset (\overline{M'})_{rt}$. Hence, by Theorem 5.2 and by the fact that $mr(\varphi) = mr(j_\varphi)$ (see e.g. [CD89, Chapter V, Corollary 5.2.1]), it follows that

$$mr(\varphi') = \mathrm{rank}\, M' - \mathrm{rank}\, M'_{rt} \geq \mathrm{rank}\, \overline{M'} - \mathrm{rank}\, \overline{M'}_{rt} = mr(j_\varphi) = mr(\varphi)$$

by Remark 2.2 (1). Hence $jmr(S) \geq mr(S)$ as claimed.

This completes the proof of Theorem 1.7.

6. PROOF OF THEOREM 1.4.

In this section, we prove Theorem 1.4.

For a lattice L, we call a sublattice $M \subset L$ *primitive* if the quotient $\mathbb{Z}$-module L/M is torsion free. The *primitive closure* P of a sublattice M in L is the smallest primitive sublattice of L containing M.

The following lemma, which is a modification of the third author's result [Yu25, Theorem 4.1], is extremely useful in the proof of Theorem 1.4.

Lemma 6.1. *Let L be an even isotropic lattice of rank at least 3. Let $L_1 \subset L$ be an isotropic primitive sublattice with $\mathrm{rank}(L_1) = \mathrm{rank}(L) - 1$. If*

$$|\frac{\det(L)}{\det(L_1)}| > 2,$$

then

$$mr(L) \geq mr(L_1) + 1.$$

Proof. Let $e \in L_1$ be a primitive isotropic element with

$$\mathrm{rank}(\langle e\rangle^\perp_{L_1}/\langle e\rangle) - \mathrm{rank}((\langle e\rangle^\perp_{L_1}/\langle e\rangle)_{rt}) = mr(L_1).$$

Let $v \in L$ such that $\langle v\rangle = L_1^\perp \subset L$. Suppose $(v^2) = -a$, where a is a positive even integer. Then there exists $k \in \mathbb{Z}$ with $k > 0$ such that for each $\alpha \in L$ there are $x \in L_1$ and $m \in \mathbb{Z}$

such that $\alpha = (\frac{x}{k}, \frac{mv}{k})$ and

$$|\frac{\det(L)}{\det(L_1)}| = \frac{a}{k^2}$$

(see the proof of [Yu25, Theorem 4.1]). Suppose $(\alpha, e) = 0$ and $(\alpha^2) = -2$. Then $(x, e) = 0$ and $(x^2) \leq 0$. Thus,

$$-2 = (\alpha^2) = \frac{(x^2)}{k^2} + \frac{m^2(v^2)}{k^2} \leq \frac{m^2(v^2)}{k^2} = -\frac{m^2 a}{k^2} = -m^2|\frac{\det(L)}{\det(L_1)}|.$$

By $|\frac{\det(L)}{\det(L_1)}| > 2$, we have $m = 0$. Thus, $\alpha \in L_1$. Then e is a primitive isotropic element in L with

$$\mathrm{rank}(\langle e\rangle_L^\perp/\langle e\rangle) - \mathrm{rank}((\langle e\rangle_L^\perp/\langle e\rangle)_{rt}) = mr(L_1) + 1.$$

Thus, $mr(L) \geq mr(L_1) + 1$. □

Let $\mathcal{P}$ be the set of prime integers and

$$\mathcal{P}_1 := \{p \in \mathcal{P}|\ p|\det(L) \text{ for some even hyperbolic lattice } L \text{ s.t. } \mathrm{rank}(L) \geq 5,\ mr(L) = 0\}.$$

Lemma 6.2. *The set $\mathcal{P}_1$ is finite.*

Proof. If $mr(L) = 0$, then as $\mathrm{rank}\ L \geq 5$, such $|\det L|$ are finite, except $2^m 3^n$ for some nonnegative integers m, n if $\mathrm{rank}(L) = 5$, by Nikulin [Ni81, Theorem 0.2.6]. □

Proof of Theorem 1.4 (1). Let S be a K3 surface with $r := \rho(S) - 2 \geq 4$ and $L := \mathrm{NS}\,(S) = U \oplus M$. Thus S admits a Jacobian fibration and $jmr(S) = mr(S)$ by Theorem 1.7. Hence, by Nikulin [Ni81, Theorem 10.2.1], $mr(S) = 0$ (i.e., $jmr(S) = 0$) if and only if $\mathrm{Aut}\,(S)$ is finite. The isomorphism classes of such $\mathrm{NS}\,(S)$ are also finite ([Ni81, Theorem 0.2.2]). So, we may and will asume that $mr(S) = 1$. Our goal is to show that the isomorphism classes of $L = U \oplus M$ are finite under additional assumption that $mr(S) = 1$.

Since $jmr(S) = mr(S) = 1$, S has a Jacobian fibration $\varphi : S \to \mathbb{P}^1$ such that $\langle f, s\rangle_{\mathrm{NS}\,(S)}^\perp = M$ and $mr(\varphi) = 1$. Here f is the fiber class and s is the class of global section of φ.

Then M is a negative even definite lattice of rank r and thus $\mathrm{rank}\ M_{rt}$ is a negative definite even lattice of rank $r - 1$ by the Shioda-Tate formula (2.1). Since M_{rt} is a direct sum of ADE lattices with bounded rank ($r \leq 18 = 20 - 2$), there are only finitely many isomorphism classes of such lattices M_{rt}.

Thus it suffices to show that there are only finitely many isomorphism classes of M for each fixed M_{rt}. Let P denote the primitive closure of M_{rt} in L, which is the same as the primitive closure of M_{rt} in M as M is primitive in L. Fix a $\mathbb{Z}$-basis $\langle v_i\rangle_{i=1}^{r-1}$ of the P and the Gram matrix representation of $P = (a_{ij})_{1 \leq i,j \leq r-1}$. Then we extend them to a $\mathbb{Z}$-basis $\langle v_i\rangle_{i=1}^r$ of M with the Gram matrix $(a_{ij})_{1 \leq i,j \leq r}$.

Let $\langle x, y\rangle$ be a $\mathbb{Z}$-basis of U such that $(x^2) = (y^2) = 0$ and $(x, y) = 1$. For a positive integer p, we define the sublattice L_p of $L = U \oplus M$ of rank $r + 1 = \mathrm{rank}\ L - 1$ by

$$L_p := \mathbb{Z}\langle x, py - v_r, v_1, \cdots, v_{r-1}\rangle.$$

Then, by $(x^2) = (x, v_i) = 0$, $(x, py - v_r) = p$, we find that $L_p \subset L$ is primitive isotropic, and by the shape of the Gram matrices of L_p and P, we have

$$|\det L_p| = p^2|\det P|,$$

whereas
$$|\det L| = |\det M|.$$

By Lemma 6.2, $mr(L_p) \geq 1$ for a sufficiently large prime integer p regardless of M. We choose and fix such a p[1]. Then, since $mr(L_p) = 1$ and $mr(L) = 1$, by the contraposition of Lemma 6.1, we have

$$|\det M| = |\det L| \leq 2p^2|\det P| \leq 2p^2|\det M_{rt}|.$$

Since M is negative definite of bounded rank, it follows that the isomorphism classes of such M are finite. Thus so are the isomorphism classes of L.

This completes the proof of Theorem 1.4 (1).

Proof of Theorem 1.4 (2). Let X be a K3 surface with $\rho(X) \geq 6$ and with $mr(X) \leq 1$. As before by combining the results of Nikulin, we may and will assume that $mr(X) = 1$ and may show the isomorphism classes of such $\mathrm{NS}\,(X)$ are finite. Let $\varphi : X \to \mathbb{P}^1$ be a genus one fibration such that $mr(\varphi) = 1$.

From now, we use the same notation as in Theorem 5.2. For instance $j_\varphi : X_\varphi \to \mathbb{P}^1$ is the associated Jacobian fibration, and f is the fiber class of φ and l is the minimal positive integer of (f, x) for $x \in \mathrm{NS}\,(X)$. As in Theorem 5.2, we choose $v \in \mathrm{NS}\,(X)$ such that $(f, v) = l$. By Theorem 5.2 and Corollary 5.3, we have $\rho(X_\varphi) = \rho(X) \geq 6$ and $mr(X_\varphi) \leq mr(X) = 1$.

We have the orthogonal decomposition $\mathrm{NS}\,(X_\varphi) = U \oplus M$, where $U = \mathbb{Z}\langle f/l, v \rangle$ and $M := (\mathbb{Z}\langle f/l, v \rangle)^\perp_{\mathrm{NS}\,(X_\varphi)}$. Since $[\mathrm{NS}(X_\varphi) : \mathrm{NS}(X)] = l$, it suffices to bound l uniformly.

By $\rho(X_\varphi) \geq 6$ and $mr(X_\varphi) \leq 1$, the isomorphism classes of such M are finite by Theorem 1.4 (1). In particular, the number of possible values $d := |\det M|$ are also finite. Since $(\mathbb{Z}f)^\perp_{\mathrm{NS}\,(X)}/\mathbb{Z}f \simeq M$ by Theorem 5.2, we have a natural primitive embeddings

$$M \subset (\mathbb{Z}f)^\perp_{\mathrm{NS}\,(X)} \subset \mathrm{NS}\,(X).$$

Then $\mathrm{NS}\,(X)$ is an overlattice of $M^\perp_{\mathrm{NS}\,(X)} \oplus M$ with

$$\frac{|\det M^\perp_{\mathrm{NS}\,(X)}| \cdot |\det M|}{|\det \mathrm{NS}\,(X)|} = |\mathrm{NS}\,(X)/(M^\perp_{\mathrm{NS}\,(X)} \oplus M)|^2 \leq d^2$$

as the gluing of these two sublattices is along a subgroup of M^*/M with $|M^*/M| = d$ (for gluing of lattices, see [Ni80, Section 1, 5°], [Mc11a, Section 2], [Mc16, Section 4], [OY20, Section 4]). On the other hand, $\mathrm{NS}\,(X_\varphi) = U \oplus M$ and $[\mathrm{NS}\,(X_\varphi) : \mathrm{NS}\,(X)] = l$, we have

$$|\det \mathrm{NS}\,(X)| = l^2 d.$$

From these two formula, we obtain that

$$|\det M^\perp_{\mathrm{NS}\,(X)}| \leq l^2 d^2.$$

Note also that $M^\perp_{\mathrm{NS}\,(X)} = \mathbb{Z}\langle f, sv + u \rangle$ for some positive integer s and an element $u \in M$. Set

$$w := sv + u.$$

---

[1]By explicit list of the Néron-Severi lattices of K3 surfaces with finite automorphism group in [Ni81, Introduction] (see also [Ro22, Section 16, Table]), one can choose $p \leq 11$ regardless of r. We don't need this fact in the proof of Theorem 1.4, but such an explicit choice of p is crucial to obtain our explicit classification in Theorem 1.8.

Hence, w is primitive inside $M_{\mathrm{NS}(X)}^{\perp}$ and L. By

$$(f^2) = 0,\ (f.v) = l,\ (f, u) = 0,$$

it follows that $\det M_{\mathrm{NS}(X)}^{\perp} = (ls)^2$. Thus

$$d^2 \geq [\mathrm{NS}(X) : M_{\mathrm{NS}(X)}^{\perp} \oplus M]^2 = \frac{(ls)^2 d}{l^2 d} = s^2.$$

Hence $d \geq s \geq 1$. Thus s is also bounded as so is d. Set $L := \mathrm{NS}(X)$ and consider

$$z := w - af$$

where $a \in \mathbb{Z}$. Then $M_{\mathrm{NS}(X)}^{\perp} = \mathbb{Z}\langle f, z \rangle$ with $(z^2) = (w^2) - a(2ls)$. Thus, we may and will choose a, hence z, so that

$$2ls \leq b := (z^2) \leq 4ls - 1.$$

Let us show the boundedness of $l > 0$. Let

$$z_1 := f + qz = (1 - aq)f + qw,$$

where q is a positive integer. Note that z_1 is a primitive element in L with $(z_1^2) = 2qsl + q^2 b$. Consider the primitive closure P_1 of the sublattice

$$L_1 := \mathbb{Z}z_1 \oplus M \subset L.$$

Then $|\det L_1| = (2qsl + q^2 b)d$ and $|\det P_1| = |\det L_1|/h^2$, where h is a factor of d. Note that P_1 is a primitive sublattice of L with $\mathrm{rank}\, P_1 = \mathrm{rank}\, L - 1$. Moreover, P_1 is also isotropic as P_1 is hyperbolic with $\mathrm{rank}\, P_1 \geq 5$.

By finiteness of possible values of d and Lemma 6.2, as before, we may assume that $mr(P_1) \geq 1$ for any prime integer q such that $q \notin \mathcal{P}_1$ and $q \nmid d$.

Then, since $mr(L) = 1$, by the contraposition of Lemma 6.1, we have

$$\frac{l^2}{2qsl + q^2 b} = \frac{l^2 d}{(2qsl + q^2 b)d} = \frac{|\det L|}{|\det L_1|} = \frac{|\det L|}{h^2 |\det P_1|} \leq \frac{2}{h^2} \leq 2.$$

Combining this with previous inequalities $l > 0$, $b \leq 4ls - 1$ and $s \leq d$, we obtain

$$l^2 \leq 2(2qsl + q^2 b) < 2(2qsl + 4q^2 ls) \leq 2(2qdl + 4q^2 ld),$$

which implies

$$l \leq 2(2qd + 4q^2 d) \leq (4q + 8q^2)d.$$

This completes the proof of Theorem 1.4 (2).

Proof of Theorem 1.4 (3). Let S be a K3 surface of $\rho(S) \geq 6$ with non-elementary hyperbolic $\mathrm{Aut}\,(S)$. By $\rho(S) \geq 6$, S has at least one genus one fibration. By [Ni81, Theorems 0.2.] Since $\mathrm{Aut}\,(S)$ is hyperbolic, $mr(S) \leq 1$ by Theorem 1.1. Thus $\mathrm{NS}\,(S)$ is an element of the set $\mathcal{H}_0^{\geq 6}$, which is a finite set by Theorem 1.4 (2). This completes the proof of Theorem 1.4 (3).

7. Explicit list of lattices in $\mathcal{H}_{\mathrm{hyp}}^{\geq 6}$

In this section, we prove Theorem 1.8. The Picard number $\rho = \rho(S)$ of any complex projective K3 surface S is at most 20. So we only need to determine

$$\mathcal{H}_{\mathrm{hyp}}^{\rho} := \{L\mid L \in \mathcal{H}_{\mathrm{hyp}}^{\geq \rho},\ \mathrm{rank}(L) = \rho\}/\text{isomorphisms},$$

where $6 \leq \rho \leq 20$. Note that for $L \in \mathcal{H}_{\mathrm{hyp}}^{\rho}$, $mr(L) \leq 1$ if and only if $mr(L) = 1$ by Remark 1.5 (2). Since $\mathrm{NS}(S)$ is a primitive sublattice of the unimodular rank 22 lattice $U^{\oplus 3} \oplus E_8^{\oplus 2}$, it follows that $\rho(S) + l(\mathrm{NS}(S)) \leq 22$. Thus, by Theorem 1.3, it suffices to classify all lattices L satisfying the following conditions:

(1) L is an even hyperbolic lattice of positive entropy;
(2) $mr(L) = 1$ (see Remark 1.5 (2));
(3) $6 \leq \mathrm{rk}(L) \leq 20$ and $\mathrm{rk}(L) + l(L) \leq 22$.

We classify such lattices inductively from rank 6 to 20. For each rank r, we can obtain all lattices satisfying (1)-(3) in two steps:

(I) : classify rank r lattices L satisfying (1)-(3) of the form $L = U \oplus M$;
(II) : classify rank r lattices L satisfying (1)-(3) but not containing U.

For Step (I), since $mr(U \oplus M) = 1$, replacing M by another member in the genus of M if necessary, we may assume that M_{rt} has rank $r - 3$. Thus, the primitive closure M_1 of M_{rt} in M is an even overlattice of a root lattice. Then we have a primitive extension $M_1 \oplus M_1^{\perp} \subset M = M_1 \oplus_{\phi} M_1^{\perp}$ for some gluing map $\phi : H_1 \to H_2$ (see e.g. [Mc16, Section 4]), where $H_1 \subset M_1^*/M_1$, $H_2 \subset (M_1^{\perp})^*/M_1^{\perp}$, $H_1 \cong H_2 \cong \mathbb{Z}/k\mathbb{Z}$ for some positive integer k dividing $c_{M_1} :=$ the largest order of the elements in M_1^*/M_1 by $\mathrm{rank}(M_1^{\perp}) = 1$. Note that $U \oplus M_1$ is a rank $r - 1$ primitive sublattice of $U^{\oplus 3} \oplus E_8^{\oplus 2}$.

Thus, in Step (I), it suffices to do the following steps:

(i) compute the (finite) set

$$\mathcal{M}_1 := \{M_1\mid M_1 \text{ an even overlattice of a root lattice of rank } r - 3 \text{ and } r + l(M_1) \leq 23\};$$

(ii) For each $M_1 \in \mathcal{M}_1$, let c_{M_1} denote the largest order of the elements in M_1^*/M_1. Define $p_{M_1} = p$ as follows: if $mr(U \oplus M_1) > 0$, we set $p = 1$; if $mr(U \oplus M_1) = 0$ and $r = 6$, we set $p = 5$; if $mr(U \oplus M_1) = 0$ and $r > 6$, let p be the smallest positive integer such that $|p^2\det(M_1)|$ is not in the (finite) set

$$\mathcal{D}_{r-1} := \{d\mid d = |\det(L)| \text{ for some even hyperbolic lattice } L \text{ of rank } r - 1 \text{ and } mr(L) = 0\}.$$

By Nikulin's classification [Ni81] (see also [Ro22, Section 16]), we have $\mathcal{D}_6 = \{4, 5, 8, 9, 12, 16, 64, 81\}$, $\mathcal{D}_7 = \{4, 6, 8, 10, 12, 16, 18, 32, 128\}$, $\mathcal{D}_8 = \{3, 4, 7, 8, 12, 15, 16, 27, 64, 256\}$, $\mathcal{D}_9 = \{2, 4, 6, 8, 12, 16, 32, 128, 512\}$, $\mathcal{D}_{10} = \{1, 4, 9, 16, 64, 256\}$, $\mathcal{D}_{11} = \{2, 8, 32, 128\}$, $\mathcal{D}_{12} = \{3, 4, 16, 64\}$, $\mathcal{D}_{13} = \{4, 8, 32\}$, $\mathcal{D}_{14} = \{4, 16\}$, $\mathcal{D}_{15} = \{8\}$, $\mathcal{D}_{16} = \{4\}$, $\mathcal{D}_{17} = \{2\}$, $\mathcal{D}_{18} = \{1\}$, $\mathcal{D}_{19} = \{2\}$.

(iii) Compute the (finite) set $\mathcal{E}_{M_1}$ of genera of primitive extensions M of $M_1 \oplus \langle -a \rangle$ such that M is even and

$$a \leq 2p_{M_1}^2 k^2 \leq 2p_{M_1}^2 c_{M_1}^2,\ r + l(M) \leq 22,\ mr(U \oplus M) = 1,$$

where $k := [M : M_1 \oplus \langle -a \rangle]$. In fact, by Lemma 6.1, the first inequality is a necessary condition for $mr(U \oplus M) = 1$ since M contains a primitive corank one sublattice of determinant $p^2 \cdot |\det(M_1)|$ (see the proof of Theorem 1.4 (1)). We slightly adapt

[Yu25, Section 4, Genus test] to compute members M' in the genus of M; then by computing the rank of the root lattices M'_{rt}, we check whether $mr(U \oplus M) = 1$ or not.

Let

$$\mathcal{L}^r_U := (\bigcup_{M_1 \in \mathcal{M}_1} \{U \oplus M | M \in \mathcal{E}_{M_1}\})/\text{isomorphisms}.$$

Then the subset

$$\{L | L \in \mathcal{L}^r_U \text{ of positive entropy}\}/\text{isomorphisms}$$

of $\mathcal{L}^r_U$ consists of all possible rank r lattices which satisfy (1)-(3) and contain U. Then, in Step (II), it suffices to do the following: For each $L = U \oplus M \in \mathcal{L}^r_U$, we compute all possible rank r sublattices $L' \subset L$ such that the following statements hold

(i') $mr(L') = 1$, L' of positive entropy;
(ii') $L = \mathbb{Z}(f/l) + L'$ with $(\mathbb{Z}f)^\perp_{L'}/\mathbb{Z}f \simeq M$ for some primitive isotropic element f in L', $l > 1$ (see Theorem 5.2);
(iii') L' has no sublattice isometric to U.

Claim 7.1. Let $L = U \oplus M \in \mathcal{L}^r_U$ and $L' \subset L$ be a sublattice of rank r. Suppose all the conditions (i')-(iii') hold. Then $r - l(L) \leq 4$.

Proof. By condition (ii'), we infer that $l(L') \leq l(L) + 2$. If $r - l(L) \geq 5$, then $r - l(L') \geq 3$, which implies that L' contains U by [Ni80, Corollary 1.13.5], a contradiction. $\square$

For computation in cases $6 \leq r \leq 20$, we use McMullen's package [Mc11b] and a mixture of Mathematica ([Wo]), Magma ([BCP]), PARI/GP ([Th]), and SageMath ([The]). All the comuputer algebra programs and the outputs for computing $\mathcal{L}^r_U$ and L' satisfying (i')-(iii') can be found in the ancillary files.

Next we explain two typical cases $r = 6, 9$.

Case $r = 6$. There are three rank $r - 3 = 3$ root lattices $A_1^{\oplus 3}$, $A_2 \oplus A_1$, A_3 and they do not have nontrivial even overlattices. Then $\mathcal{M}_1 = \{A_1^{\oplus 3}, A_2 \oplus A_1, A_3\}$. Then $(c_{M_1}, p_{M_1}) = (2, 5), (6, 5), (4, 5)$ for $M_1 = A_1^{\oplus 3}, A_2 \oplus A_1, A_3$ respectively. By computing the required primitive extensions in Step (I)-(iii) for $M_1 = A_1^{\oplus 3}$ with the help of computer, we find that $\mathcal{E}_{A_1^{\oplus 3}}$ consists of 11 genera represented by the following lattices M

$$\begin{pmatrix} -2 & 0 & 0 & -1 \\ 0 & -2 & 0 & -1 \\ 0 & 0 & -2 & 1 \\ -1 & -1 & 1 & -4 \end{pmatrix}, \begin{pmatrix} -2 & 0 & 0 & 0 \\ 0 & -2 & 0 & -1 \\ 0 & 0 & -2 & -1 \\ 0 & -1 & -1 & -4 \end{pmatrix}, \begin{pmatrix} -2 & 0 & 0 & 0 \\ 0 & -2 & 0 & 0 \\ 0 & 0 & -2 & 0 \\ 0 & 0 & 0 & -4 \end{pmatrix}, \begin{pmatrix} -2 & 0 & 0 & -1 \\ 0 & -2 & 0 & -1 \\ 0 & 0 & -2 & 1 \\ -1 & -1 & 1 & -6 \end{pmatrix},$$

$$\begin{pmatrix} -2 & 0 & 0 & 0 \\ 0 & -2 & 0 & 0 \\ 0 & 0 & -2 & 1 \\ 0 & 0 & 1 & -4 \end{pmatrix}, \begin{pmatrix} -2 & 0 & 0 & 0 \\ 0 & -2 & 0 & 0 \\ 0 & 0 & -2 & 1 \\ 0 & 0 & 1 & -6 \end{pmatrix}, \begin{pmatrix} -2 & 0 & 0 & 0 \\ 0 & -2 & 0 & 0 \\ 0 & 0 & -2 & 0 \\ 0 & 0 & 0 & -6 \end{pmatrix}, \begin{pmatrix} -2 & 0 & 0 & 0 \\ 0 & -2 & 0 & 0 \\ 0 & 0 & -2 & 0 \\ 0 & 0 & 0 & -8 \end{pmatrix},$$

$$\begin{pmatrix} -2 & 0 & 0 & -1 \\ 0 & -2 & 0 & -1 \\ 0 & 0 & -2 & 1 \\ -1 & -1 & 1 & -10 \end{pmatrix}, \begin{pmatrix} -2 & 0 & 0 & 0 \\ 0 & -2 & 0 & 0 \\ 0 & 0 & -2 & 0 \\ 0 & 0 & 0 & -10 \end{pmatrix}, \begin{pmatrix} -2 & 0 & 0 & 0 \\ 0 & -2 & 0 & 0 \\ 0 & 0 & -2 & 0 \\ 0 & 0 & 0 & -16 \end{pmatrix}.$$

By taking direct sum $U \oplus M$ and comparing these lattices with those in [Yu25, Appendix], we find that the first 4 genera M correspond to 4 hyperbolic lattices $U \oplus M$

of zero entropy; the remaining genera M correspond to 7 hyperbolic lattices (No. 3, 9, 12-16 in Table 1) of positive entropy. After doing similar calculations for $M_1 = A_2 \oplus A_1, A_3$, we find that $\mathcal{L}_U^6$ consists of 27 lattices, and exactly 16 lattices (No. 1-16 in Table 1) of them are of positive entropy. Note that $Det_{\mathcal{L}_U^6} := \{|\det(L_1)| \mid L_1 \in \mathcal{L}_U^6\} = \{12, 13, 16, 17, 20, 21, 24, 28, 29, 32, 36, 44, 45, 48, 64, 68, 80, 128\}$.

For each $L \in \mathcal{L}_U^6$, we compute the sublattices L' of L such that the conditions (i')-(iii') hold. For example, let $L = U \oplus A_1^{\oplus 3} \oplus [-6]$ (No. 12 in Table 1). We claim that if a sublattice L' of L satisfies the conditions (i')-(iii'), then $[L : L'] = 2^b$ for some positive integer b. Suppose an odd prime p_1 divides $[L : L']$. Then there exists a chain of lattices $L' \subset L'' \subset L$ such that $[L : L''] = p_1$. Then L'' is an even lattice with $|\det(L'')| = 2^4 \cdot 3 \cdot p_1^2$. By [Yu25, Lemma 3.7 (2)], L'' has an even overlattice L''' with $|\det(L''')| = 2^2 \cdot 3 \cdot p_1^2$. Since $l(L''') \leq 3$, we have that L''' contains U by [Ni80, Corollary 1.13.5]. By $mr(L'') = 1$ and $L'' \subset L'''$, we have $mr(L''') \leq 1$ (Remark 2.2 (1)). On the other hand, $mr(L''') > 1$ since $|\det(L''')| = 2^2 \cdot 3 \cdot p_1^2 \notin \mathcal{D}_6 \cup Det_{\mathcal{L}_U^6}$, a contradiction. Thus, it suffices to consider the cases l is a power of 2. The sublattices of $L = U \oplus A_1^{\oplus 3} \oplus [-6]$ satisfying the condition (ii') are isometric to lattices with a basis $(\alpha_1, \cdots, \alpha_6)$ and Gram matrix of the form

$$\begin{pmatrix} 0 & l & 0 & 0 & 0 & 0 \\ l & a' & b_1 & b_2 & b_3 & b_4 \\ 0 & b_1 & -2 & 0 & 0 & 0 \\ 0 & b_2 & 0 & -2 & 0 & 0 \\ 0 & b_3 & 0 & 0 & -2 & 0 \\ 0 & b_4 & 0 & 0 & 0 & -6 \end{pmatrix},$$

where $a' \in \{0, 2, \cdots, 2l - 2\}$, $b_i \in \{0, 1, \cdots, l - 1\}$ for all i. For $l = 2$, up to isomorphisms, there are 7 such lattices with (a', b_1, b_2, b_3, b_4) given by

$$(0, 1, 1, 1, 1), (0, 0, 1, 1, 0), (0, 0, 0, 1, 1), (0, 0, 0, 1, 0), (0, 0, 0, 0, 1), (2, 1, 1, 1, 1), (0, 0, 0, 0, 0).$$

The first 5 lattices contain U generated by the pairs (α_2, α_3), (α_2, α_4), (α_2, α_5), (α_2, α_5), (α_2, α_6) respectively. By randomly choosing 5-tuples of elements in the sixth lattice, we find that it contains rank 5 sublattice L_1 (generated by $\alpha_1 + \alpha_6$, $\alpha_1 - \alpha_2$, α_3, α_4, α_5) of determinant 48 and $mr(L_1) > 0$, which implies the sixth lattice does satisfies the condition (i'). The seventh lattice is $U(2) \oplus A_1^{\oplus 3} \oplus [-6]$ which clearly contains no U. By computation with the help of computer, $U(2) \oplus A_1^{\oplus 3} \oplus [-6]$ has exactly two nontrivial even overlattices $U \oplus A_1^{\oplus 3} \oplus [-6]$ (No. 12 in Table 1) and $U \oplus A_1^{\oplus 2} \oplus A_2$ which is contained in the table in [Ni81, Theorem 0.2.2]. Thus, both of them are in $\mathcal{H}_U^6$, and we have that $mr(U(2) \oplus A_1^{\oplus 3} \oplus [-6]) = 1$. Thus, up to isomorphisms, $U(2) \oplus A_1^{\oplus 3} \oplus [-6]$ (No. 152 in Table 1) is the only sublattice of L satisfying all the conditions (i')-(iii') with $l = 2$. Similarly, we find that there is no sublattice of L satisfying all the conditions (i')-(iii') with $l = 4$. Hence, $U(2) \oplus A_1^{\oplus 3} \oplus [-6]$ (No. 152 in Table 1) is the only sublattice of L satisfying all the conditions (i')-(iii').

As in the case $L = U \oplus A_1^{\oplus 3} \oplus [-6]$, we compute desired L' for each $L \in \mathcal{L}_U^6$. It turns out that totally there are 14 such L' (No. 146-159 in Table 1). Thus, $\mathcal{H}_{\mathrm{hyp}}^6$ consists of $16 + 14 = 30$ lattices.

Case $r = 9$. Similar to Case $r = 6$, we obtain that $\mathcal{L}_U^9$ consists of 37 lattices. Moreover, exactly 25 lattices (i.e., No. 60-84 in Table 1) in $\mathcal{L}_U^9$ are of positive entropy. It turns out that there are exactly four lattices L in $\mathcal{L}_U^9$ such that $9 - l(L) \leq 4$. The four lattices are as follows:

$$U(2) \oplus A_3 \oplus D_4, \ U \oplus A_1^{\oplus 2} \oplus D_4 \oplus [-4], \ U \oplus A_1^{\oplus 2} \oplus D_4 \oplus [-6], \ U \oplus A_1^{\oplus 6} \oplus [-4].$$

Note that the first lattice is of zero entropy and the other three lattices are No. 82-84 in Table 1. By similar calculations in Case $r = 6$, none of them contains sublattices L' satisfying (i′)-(iii′). Thus, by Claim 7.1, there is no lattice in $\mathcal{H}^9_{\mathrm{hyp}}$ not containing U. Thus, $\mathcal{H}^9_{\mathrm{hyp}}$ contains only 25 lattices.

The other cases (i.e., $r = 7, 8, 10 - 20$) can be done similarly. Totally, there are exactly 166 lattices, listed in Table 1, satisfying the conditions (1)–(3). All of them have primitive embeddings into the K3 lattice $U^{\oplus 3} \oplus E_8^{\oplus 2}$ by [Ni80, Theorem 1.12.2]. This completes the proof of Theorem 1.8.

References

[BBF02] M. Bestvina, K. Bromberg, K. Fujiwara, *Constructing group actions on quasi-trees and applications to mapping class groups*, Publ. Math. Inst. Hautes Études Sci. **122** (2015), 1–64.

[Bi67] G. Birkhoff, *Linear transformations with invariant cones*, Amer. Math. Month. **74** (1967) 274–276.

[BCP] W. Bosma, J. Cannon, C. Playoust, *The Magma algebra system I: The user language*, J. Symb. Comp. **24** (1997), 235-265; home page for Magma version 2.23-1 (2017) at http://magma.maths.usyd.edu.au.

[Bo93] B. H. Bowditch, *Geometrical finiteness for hyperbolic groups*, J. Funct. Anal. **113** (1993) 245–317

[Bo12] B. H. Bowditch, *Relatively hyperbolic groups*, Internat. J. Algebra Comput. **22** (2012), no. 3, 1250016, 66 pp.

[BM22] S. Brandhorst, G. Mezzedimi, *Borcherds lattices and K3 surfaces of zero entropy*, arXiv:2211.09600.

[BH99] M. Bridson, A, Haefliger, *Metric spaces of non-positive curvature*, Grundlehren der mathematischen Wissenschaften, **319**. Springer–Verlag, Berlin, 1999.

[CD89] F.R. Cossec, I. Dolgachev, *Enriques surfaces. I*, Progress in Mathematics **76** Birkhäuser Boston, Inc., Boston, MA, (1989).

[DLOZ22] T. C. Dinh, H. Y. Lin, K. Oguiso, D. Q. Zhang, *Zero entropy automorphisms of compact Kähler manifolds and dynamical filtrations*, Geometric and Functional Analysis, **32** (2022), 568-594.

[DS05] C. Drutu, M. Sapir, *Tree-graded spaces and asymptotic cones of groups*, With an appendix by D. Osin and M. Sapir. Topology **44** (2005) 959–1058.

[Fu78] A. Fujiki, *On automorphism groups of compact Kähler manifolds*, Invent. Math. **44** (1978) 225–258.

[GLP10] F. Galluzzi, G. Lombardo, and C. Peters, *Automorphs of indefinite binary quadratic forms and K3 surfaces with Picard number 2*, Rend. Semin. Mat. Univ. Politec. Torino, **68** (2010) 57–77.

[Gr87] M. Gromov, *Hyperbolic groups*, Math. Sci. Res. Inst. Publ., 8 Springer, 1987, 75-263.

[Hr10] G. C. Hruska, *Relative hyperbolicity and relative quasiconvexity for countable groups*, Algebr. Geom. Topol. **10** (2010), no. 3, 1807–1856.

[HK05] G. C. Hruska, B. Kleiner, *Hadamard spaces with isolated flats*, Geom. Topol. **9** (2005), 1501–1538.

[Ka09] M. Kapovich, Kleinian groups in higher dimensions, Progr. Math., **265** Birkhauser, 2008, 487-564.

[Ke00] J. Keum, *A note on elliptic K3 surfaces*, Trans. Amer. Math. Soc. **352** (2000), no. 5, 2077–2086.

[Ki24] K. Kikuta, *Geometrical finiteness for automorphism groups via cone conjecture*, arXiv:2406.18438.

[MM99] H. A. Masur, Y. N. Minsky, *Geometry of the complex of curves. I. Hyperbolicity*, Invent. Math. **138** (1999), no. 1, 103–149.

[Mc02] C. T. McMullen, *Dynamics on K3 surfaces: Salem numbers and Siegel disks*, J. Reine Angew. Math. **545** (2002) 201–233.

[Mc11a] C. T. McMullen, *K3 surfaces, entropy and glue*, J. Reine Angew. Math. **658** (2011), 1–25.

[Mc11b] C. T. McMullen, *Salem number/Coxeter group/K3 surface package*, doi:10.7910/DVN/29211

TABLE 1. The 166 lattices in $\mathcal{H}_{\mathrm{hyp}}^{\geq 6}$

No	Lattice	No	Lattice	No	Lattice
1	$U \oplus (A_3 \oplus_4 [-84])$	57	$U \oplus A_1^{\oplus 2} \oplus A_3 \oplus [-4]$	113	$U \oplus D_4 \oplus D_5$
2	$U \oplus A_3 \oplus [-6]$	58	$U \oplus A_1^{\oplus 5} \oplus [-4]$	114	$U \oplus A_1 \oplus A_8$
3	$U \oplus (A_3 \oplus_2 [-28])$	59	$U \oplus A_1^{\oplus 5} \oplus [-6]$	115	$U \oplus E_8 \oplus [-24]$
4	$U \oplus (A_3 \oplus_4 [-116])$	60	$U \oplus E_6 \oplus [-4]$	116	$U \oplus A_1 \oplus A_2 \oplus D_6$
5	$U \oplus A_1 \oplus (A_2 \oplus_3 [-48])$	61	$U \oplus (D_6 \oplus_2 [-18])$	117	$U \oplus D_4^{\oplus 2} \oplus [-4]$
6	$U \oplus A_3 \oplus [-8]$	62	$U \oplus (E_6 \oplus_3 [-60])$	118	$U \oplus A_1^{\oplus 4} \oplus D_5$
7	$U \oplus (A_3 \oplus_2 [-36])$	63	$U \oplus A_1 \oplus (D_5 \oplus_4 [-44])$	119	$U \oplus (D_9 \oplus_4 [-28])$
8	$U \oplus (A_1 \oplus A_2 \oplus [-6])$	64	$U \oplus D_6 \oplus [-6]$	120	$U \oplus A_{10}$
9	$U \oplus A_1 \oplus (A_2 \oplus_3 [-66])$	65	$U \oplus (E_6 \oplus_3 [-78])$	121	$U \oplus A_1 \oplus A_2 \oplus E_7$
10	$U \oplus A_2 \oplus (A_1 \oplus_2 [-30])$	66	$U \oplus A_6 \oplus [-4]$	122	$U \oplus A_1 \oplus E_8 \oplus [-8]$
11	$U \oplus A_3 \oplus [-12])$	67	$U \oplus E_6 \oplus [-10]$	123	$U \oplus A_1 \oplus A_9$
12	$U \oplus A_1^{\oplus 3} \oplus [-6]$	68	$U \oplus (A_6 \oplus_7 [-224])$	124	$U \oplus A_1^{\oplus 3} \oplus D_7$
13	$U \oplus A_1^{\oplus 3} \oplus [-8]$	69	$U \oplus D_6 \oplus [-8]$	125	$U \oplus A_4 \oplus E_7$
14	$U \oplus (A_3 \oplus_2 [-68])$	70	$U \oplus A_1 \oplus (A_5 \oplus_3 [-24])$	126	$U \oplus A_2 \oplus D_9$
15	$U \oplus A_1^{\oplus 3} \oplus [-10]$	71	$U \oplus A_1 \oplus D_5 \oplus [-4]$	127	$U \oplus (D_{10} \oplus_2 [-14])$
16	$U \oplus A_1^{\oplus 3} \oplus [-16]$	72	$U \oplus (A_6 \oplus_7 [-252])$	128	$U \oplus A_1^{\oplus 2} \oplus D_9$
17	$U \oplus A_4 \oplus [-4]$	73	$U \oplus ((A_1 \oplus D_5) \oplus_2 [-18])$	129	$U \oplus E_8 \oplus (A_2 \oplus_3 [-48])$
18	$U \oplus (A_4 \oplus_5 [-120])$	74	$U \oplus (E_6 \oplus_3 [-114])$	130	$U \oplus D_6 \oplus E_6$
19	$U \oplus (A_4 \oplus_5 [-130])$	75	$U \oplus A_1^{\oplus 3} \oplus A_4$	131	$U \oplus A_1^{\oplus 2} \oplus A_2 \oplus E_8$
20	$U \oplus A_3 \oplus (A_1 \oplus_2 [-14])$	76	$U \oplus (A_6 \oplus_7 [-308])$	132	$U \oplus A_{12}$
21	$U \oplus A_4 \oplus [-6]$	77	$U \oplus D_6 \oplus [-12]$	133	$U \oplus D_5 \oplus D_7$
22	$U \oplus D_4 \oplus [-8]$	78	$U \oplus A_2 \oplus D_4 \oplus [-4]$	134	$U \oplus A_1 \oplus A_4 \oplus E_8$
23	$U \oplus A_1 \oplus A_3 \oplus [-4]$	79	$U \oplus E_6 \oplus [-18]$	135	$U \oplus D_7 \oplus E_6$
24	$U \oplus (A_4 \oplus_5 [-170])$	80	$U \oplus D_6 \oplus [-14]$	136	$U \oplus A_6 \oplus E_8$
25	$U \oplus (A_4 \oplus_5 [-180])$	81	$U \oplus D_4 \oplus (A_2 \oplus_3 [-48])$	137	$U \oplus A_1 \oplus D_5 \oplus E_8$
26	$U \oplus A_1^{\oplus 2} \oplus (A_2 \oplus_3 [-30])$	82	$U \oplus A_1^{\oplus 2} \oplus D_4 \oplus [-4]$	138	$U \oplus A_1 \oplus E_6 \oplus E_8$
27	$U \oplus D_4 \oplus [-10]$	83	$U \oplus A_1^{\oplus 2} \oplus D_4 \oplus [-6]$	139	$U \oplus A_7 \oplus E_8$
28	$U \oplus A_1 \oplus (A_3 \oplus_4 [-84])$	84	$U \oplus A_1^{\oplus 6} \oplus [-4]$	140	$U \oplus (A_{14} \oplus_3 [-6])$
29	$U \oplus A_1 \oplus A_3 \oplus [-6]$	85	$U \oplus A_2 \oplus D_6$	141	$U \oplus E_8 \oplus (E_7 \oplus_2 [-10])$
30	$U \oplus A_2^{\oplus 2} \oplus [-6]$	86	$U \oplus (E_7 \oplus_2 [-26])$	142	$U \oplus A_1 \oplus D_7 \oplus E_8$
31	$U \oplus D_4 \oplus [-14]$	87	$U \oplus E_7 \oplus [-8]$	143	$U \oplus D_9 \oplus E_8$
32	$U \oplus A_1^{\oplus 2} \oplus (A_2 \oplus_3 [-48])$	88	$U \oplus (E_7 \oplus_2 [-34])$	144	$U \oplus A_2 \oplus E_8^{\oplus 2}$
33	$U \oplus D_4 \oplus [-16]$	89	$U \oplus E_7 \oplus [-10]$	145	$U \oplus A_1^{\oplus 2} \oplus E_8^{\oplus 2}$
34	$U \oplus A_1^{\oplus 4} \oplus [-4]$	90	$U \oplus A_4 \oplus D_4$	146	$U(2) \oplus A_3 \oplus [-4]$
35	$U \oplus A_1^{\oplus 4} \oplus [-6]$	91	$U \oplus A_5 \oplus A_3$	147	$U(2) \oplus (A_3 \oplus_2 [-20])$
36	$U \oplus A_1^{\oplus 4} \oplus [-8]$	92	$U \oplus (D_7 \oplus_4 [-100])$	148	$U(2) \oplus A_3 \oplus [-8]$
37	$U \oplus D_5 \oplus [-4]$	93	$U \oplus (E_7 \oplus_2 [-50])$	149	$U(2) \oplus A_1^{\oplus 3} \oplus [-4]$
38	$U \oplus (D_5 \oplus_4 [-76])$	94	$U \oplus E_7 \oplus [-14]$	150	$U(2) \oplus (A_3 \oplus_2 [-36])$
39	$U \oplus A_5 \oplus [-4]$	95	$U \oplus A_1^{\oplus 2} \oplus A_6$	151	$U(2) \oplus (A_1^{\oplus 3} \oplus_2 [-18])$
40	$U \oplus (D_5 \oplus_4 [-108])$	96	$U \oplus D_7 \oplus [-8]$	152	$U(2) \oplus A_1^{\oplus 3} \oplus [-6]$
41	$U \oplus (A_5 \oplus_2 [-18])$	97	$U \oplus A_1^{\oplus 3} \oplus D_5$	153	$U(2) \oplus A_1^{\oplus 3} \oplus [-8]$
42	$U \oplus (D_5 \oplus_2 [-28])$	98	$U \oplus (E_7 \oplus_2 [-66])$	154	$U(8) \oplus D_4$
43	$U \oplus (A_5 \oplus_3 [-42])$	99	$U \oplus (A_7 \oplus_4 [-72])$	155	$U(2) \oplus (A_3 \oplus_2 [-68])$
44	$U \oplus (A_5 \oplus_6 [-186])$	100	$U \oplus A_2 \oplus (D_5 \oplus_2 [-12])$	156	$([2] \oplus_2 [-10]) \oplus D_4(2)$
45	$U \oplus A_1 \oplus (A_4 \oplus_5 [-80])$	101	$U \oplus A_2 \oplus D_5 \oplus [-4]$	157	$U(3) \oplus A_1 \oplus A_2 \oplus [-6]$
46	$U \oplus (D_5 \oplus_2 [-36])$	102	$U \oplus A_1^{\oplus 2} \oplus A_2 \oplus D_4$	158	$U(3) \oplus A_2 \oplus (A_1 \oplus_2 [-30])$
47	$U \oplus A_5 \oplus [-6]$	103	$U \oplus (D_7 \oplus_2 [-52])$	159	$U(2) \oplus A_1^{\oplus 3} \oplus [-16]$
48	$U \oplus (A_5 \oplus_2 [-26])$	104	$U \oplus A_3 \oplus D_4 \oplus [-4]$	160	$U(2) \oplus D_4 \oplus [-4]$
49	$U \oplus D_5 \oplus [-10]$	105	$U \oplus D_4 \oplus (A_3 \oplus_2 [-20])$	161	$U(2) \oplus D_4 \oplus [-8]$
50	$U \oplus A_1 \oplus A_4 \oplus [-4]$	106	$U \oplus A_1^{\oplus 5} \oplus A_3$	162	$U(2) \oplus D_4 \oplus [-16]$
51	$U \oplus D_4 \oplus (A_1 \oplus_2 [-22])$	107	$U \oplus E_8 \oplus [-8]$	163	$U(2) \oplus A_1^{\oplus 4} \oplus [-4]$
52	$U \oplus A_1 \oplus (A_4 \oplus_5 [-120])$	108	$U \oplus A_9$	164	$U(2) \oplus A_1^{\oplus 4} \oplus [-6]$
53	$U \oplus A_1^{\oplus 2} \oplus (A_3 \oplus_2 [-12])$	109	$U \oplus A_3 \oplus E_6$	165	$U(3) \oplus A_2^{\oplus 2} \oplus [-6]$
54	$U \oplus A_1^{\oplus 4} \oplus A_2$	110	$U \oplus E_8 \oplus [-14]$	166	$U(2) \oplus A_1^{\oplus 5} \oplus [-4]$
55	$U \oplus A_1 \oplus (A_4 \oplus_5 [-130])$	111	$U \oplus E_8 \oplus [-16]$		
56	$U \oplus D_4 \oplus A_1 \oplus [-8]$	112	$U \oplus A_1^{\oplus 2} \oplus D_7$		

In this table we use $L_1 \oplus_k L_2$ to denote a primitive extension of $L_1 \oplus L_2$ with $[L_1 \oplus_k L_2 : L_1 \oplus L_2] = k$ and $L_1 \oplus_k L_2$ being even. Such $L_1 \oplus_k L_2$ here is unique up to isometries. $[n]$ is the rank 1 lattice of determinant n.

[Mc16]   C. T. McMullen, *Automorphisms of projective K3 surfaces with minimum entropy*, Invent. Math. 203 (2016), no. 1, 179–215.

[Mu87]   S. Mukai, *On the moduli space of bundles on K3 surfaces. I.*, Vector bundles on algebraic varieties (Bombay, 1984), 341–413, Tata Inst. Fund. Res. Stud. Math. **11** Tata Inst. Fund. Res., Bombay, 1987.

[Ni80]   V. V. Nikulin, *Integral symmetric bilinear forms and some of their geometric applications*, Math. USSR Izv. **14** (1980) 103–167.

[Ni81]   V.V. Nikulin, *Quotient-groups of groups of automorphisms of hyperbolic forms by subgroups generated by 2-reflections. Algebro-geometric Applications*, Current Problems in Mathematics, vol. **18**, Akad. Nauk SSSR, Vsesoyuz. Inst. Nauchn. i Tekhn. Informatsii, Moscow, 1981. 3–114. English transl. in: J. Soviet Math. 22 (1983), no. 4, 1401–1475.

[Og06]   K. Oguiso, *Tits alternative in hypekähler manifolds*, Math. Res. Lett. **13** (2006) 307–316.

[Og07]   K. Oguiso, *Automorphisms of hyperkähler manifolds in the view of topological entropy*, Algebraic geometry, Contemp. Math. **422**, (2007) 173–185.

[Og08]   K. Oguiso, *Bimeromorphic automorphism groups of non-projective hyperkähler manifolds – a note inspired by C. T. McMullen*, J. Differential Geom. **78** (2008) 163–191.

[OY20]   K. Oguiso, X. Yu, *Minimum positive entropy of complex Enriques surface automorphisms*, Duke Math. J. **169** (2020), no. 18, 3565–3606.

[OZ22]   K. Oguiso, D.-Q. Zhang, *Wild automorphisms of projective varieties, the maps which have no invariant proper subsets*, Adv. Math. **396** (2022), Paper No. 108173, 25 pp.

[PS71]   I. I. Pjateckii-Shapiro, I. R. Shafarevich, *Torelli's theorem for algebraic surfaces of type K3*, Izv. Akad. Nauk SSSR Ser. Mat. **35** (1971) 530–572.

[Rat06]   J. G. Ratcliffe, *Foundations of hyperbolic manifolds*, Second edition. Graduate Texts in Mathematics **149**. Springer, New York, 2006.

[Ro22]   X. Roulleau, *An atlas of K3 surfaces with finite automorphism group*, epiga:6286 - Épijournal de Géométrie Algébrique, 28 novembre (2022) **6**.

[Ser12]   J. P. Serre, *A course in arithmetic*, Vol. 7. Springer Science & Business Media, 2012.

[St85]   H. Sterk, *Finiteness results for algebraic K3 surfaces*, Math. Z. **189** (1985) 507–513.

[Ta24]   T. Takatsu, *Blown-up boundaries associated with ample cones of K3 surfaces*, arXiv:2312.13831.

[Th]   The PARI Group, *PARI/GP version 2.7.5*, Bordeaux (2015) http://pari.math.u-bordeaux.fr/

[The]   The Sage Developers, *SageMath, the Sage Mathematics Software System (Version 7.2)*, 2016. https://www.sagemath.org.

[VZ01]   E. Viehweg, K. Zuo, *On the isotriviality of families of projective manifolds over curves*, J. Algebraic Geom. **10** (2001) 781–799.

[Vi83]   E. Vinberg, *The two most algebraic K3 surfaces*, Math. Ann. **265** (1983), no. 1, 1–21.

[Wo]   Wolfram Research, Inc., *Mathematica (Version 10.0)*, Champaign, IL (2014).

[Yu25]   X. Yu, *K3 surface entropy and automorphism groups*, J. Algebraic Geom. **34** (2025) 205–231.

DEPEARTMENT OF MATHEMATICS, KYOTO UNIVERSITY, KYOTO, 606-8502, JAPAN
Email address: kfujiwara@math.kyoto-u.ac.jp

MATHEMATICAL SCIENCES, THE UNIVERSITY OF TOKYO, MEGURO KOMABA 3-8-1, TOKYO, JAPAN, AND NATIONAL CENTER FOR THEORETICAL SCIENCES, MATHEMATICS DIVISION, NATIONAL TAIWAN UNIVERSITY, TAIPEI, TAIWAN
Email address: oguiso@ms.u-tokyo.ac.jp

CENTER FOR APPLIED MATHEMATICS AND KL-AAGDM, TIANJIN UNIVERSITY, WEIJIN ROAD 92, TIANJIN 300072, P.R. CHINA
Email address: xunyu@tju.edu.cn